

3M CENTER,DOCUMENT SYSTEMS DIV -- TYPE 028 FIX 78-6969-5988-7 -- 6570-00-147-8973

=====
Product Identification
=====

Product ID:TYPE 028 FIX 78-6969-5988-7

MSDS Date:07/28/1992

FSC:6570

NIIN:00-147-8973

MSDS Number: BKQYN

=== Responsible Party ===

Company Name:3M CENTER,DOCUMENT SYSTEMS DIV

Address:3M CENTER

City:ST.PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency P

hone Num:612-733-1110

Preparer's Name:DOC # 11-0307-6

CAGE:76381

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

Company Name:MINNESOTA MINING AND MFG CO SALES CENTER

Address:FOUR WEST BROOK CORPORATE CTR SUITE 300

Box:City:WESTCHESTER

State:IL

ZIP:60154

Country:US

CAGE:0J8T2

=====
Composition/Information on Ingredients

=====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 75-85%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM THIOCYANATE
CAS:540-72-7
RTECS #:XL2275000
Fraction by Wt: 7-12%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM THIOSULFATE
CAS:7772-98-7
RTECS #:XN6476000
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM SULFITE
CAS:7757-83-7
RTECS #:WE2150000
Fraction by Wt: 100C
Melt/Freeze Pt:M.P/F.P Text:N/D
Vapor Pres:N/D
Vapor Density:N/D
Spec Gravity:1.0
pH:9-10
Evaporation Rate & Reference:N/D
Solubility in Water:COMPLETE
Appearance and Odor:LIQUID SOLUTION, TRANSPARENT, SLIGHT ODOR
Percent Volatiles by Volume:>75%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS, STRONG ACIDS (MAY GENERATE HCN GAS)
Stability Condition to Avoid:NO INFORMATION GIVEN ON MSDS BY MFR.
Hazardous Decomposition Products:OXIDES OF SULFUR, HYDROGEN SULFIDE
Cond

itions to Avoid Polymerization:WILL NOT OCCUR

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS BEFORE DISPOSAL. SPENT PROCESSING SOLUTIONS ARE EPA D011 (SILVER). SILVER RECOVERY IS PREFERRED FOR PROCESS SOLUTIONS. WASTE NEW SOLUTIONS M AY OFTEN BE FLUSHED TO WASTE TREATMENT SYSTEM.

Disclaimer (provided with this information by the compiling agencies):
This information is for
mulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.