

VISILOX SYSTEMS INC. -- V-724; POLY DIMETHYL SILOXANE -- 6850-00-177-5094

=====
Product Identification
=====

Product ID:V-724; POLY DIMETHYL SILOXANE

MSDS Date:07/17/1989

FSC:6850

NIIN:00-177-5094

MSDS Number: BKQYQ

=== Responsible Party ===

Company Name:VISILOX SYSTEMS INC.

Address:RT 355 SICHIO DR

Box:116

City:TROY

State:NY

ZIP:12180

Country:US

Info Phone Num:518-283-5963

Emergency Phone Num:51

8-283-5963

Preparer's Name:JASON E.BARNES

CAGE:64101

=== Contractor Identification ===

Company Name:VISILOX SYSTEMS INC

Address:RT 355 SICHIO DR RR 1

Box:1344

City:POESTENKILL

State:NY

ZIP:12140

Country:US

Phone:800-423-9993

CAGE:64101

=====
Composition/Information on Ingredients
=====

Ingred Name:POLY DIMETHYL SILOXANE

Other REC Limits:NONE SPECIFIED

Ingred Name:OTHER COMPONENTS (TYPE NOT SPECIFIED)

Other REC Limits:NONE SPECIFIED

=====
Hazards Identifica

tion =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: TEMPORARY IRRITATION OF EYES OR SKIN. AVOID HANDLING MATERIAL AND THEN RUBBING EYES.
Explanation of Carcinogenicity:DATA PER MSDS
Effects of Overexposure:TEMPORARY EYE IRRITATION.
Medical Cond Aggravated by Exposure:NONE NOTED

===== First Aid Measures =====

First Aid:INHALATION:R
REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING.
GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.
SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Meth
od:COC
Flash Point:>500F,>260C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release P
rocedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.
Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.
Other Precautions:DO NOT TAKE INTERNALLY.

AVOID CONTACT WITH EYES. USE
WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED UNDER NORMAL USE. USE NIOSH/MSHA
APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV OR SCBA IN AN
ENCLOSED AREA.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment

:EYE WASH STATION AND SAFETY SHOWER,WORK
CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR
FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO
NOT BREATHE VAPORS OR MISTS.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.03

pH:NEUTRL

Solubility in Water: