

MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV -- GEE-BEE H-66 C BRIGHTENER --
6850-00-527-2426

=====
===== Product Identification =====

Product ID:GEE-BEE H-66 C BRIGHTENER

MSDS Date:02/01/1990

FSC:6850

NIIN:00-527-2426

MSDS Number: BKRCG

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV

Address:9520 E CEE BEE DR

City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Info Phone Num:213-803-4

311 OR 213-861-1211

Emergency Phone Num:213-861-1211/CHEMTREC 800-424-9300

CAGE:71361

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

Company Name:SANCHEZ & ASSOCIATES

Address:476 WEST FOGG STREET

Box:1649

City:COLTON (MAY BE OUT OF BUSINESS !)

State:CA

ZIP:92324

Country:US

Phone:714-370-3921/FAX824-0341 ALL WRONG#

CAGE:0HF19

=====
===== Composition/In

formation on Ingredients =====

Ingred Name:PHOSPHORIC ACID (SARA III)
CAS:7664-38-2
RTECS #:TB6300000
Fraction by Wt: < 5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1 MG/M3/3 STEL
ACGIH TLV:1 MG/M3/3 STEL; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:HYDROGEN FLUORIDE (SARA III)
CAS:7664-39-3
RTECS #:MW7875000
Fraction by Wt: < 2%
Other REC Limits:NONE SPECIFIED
OSHA PEL:3 PPM/6 STEL (F)
ACGIH TLV:C 3 PPM (F); 9192
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EFFECTS OF OVEREXPOSURE-CORROSIVE TO
EYES, SKIN AND MUCOUS MEMBRANES.
Effects of Overexposure:SEE HEALTH HAZARDS SECTION.
Medical Cond Aggravated by Exposure:NONE GIVEN.

===== First Aid Measures =====

First Aid:SEEK MEDICAL CARE IN ALL CASES.EYES:FLUSH WITH
WATER FOR AT
LEAST 15 MINUTES.SKIN:WASH WITH SOAP AND WATER.TREAT FOR
HYDROFLUORIC ACID BURNS.INHALATION:REMOVE TO FRESH
AIR.INGESTION:SEE A DOCTOR IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL
FIRE EXPOSED

CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE & EVACUATE AREA. USE PROTECTIVE CLOTHING & RESPIRATORS. TREAT WITH LIME AND FLUSH WITH WATER.
Neutralizing Agent:LIME

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE-STORE AT 32-90F. AVOID DAMAGE TO DRUM.
Other Precautions:AVOID BREATHING VAPORS OR MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE ONLY WITH ADEQUATE VENTILATION. IF NEEDED, USE NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.
Protective Gloves:RUBBER
Eye Protection:CHEMICAL GOGGLES & FACE SHIELD
Other Protective Equipment:IMPERVIOUS APRON, BOOTS, PANTS, HOOD AND JACKET. EYE-WASH FACILITIES, SAFETY SHOWER.
Work Hygienic Practices:WASH THOROUGHLY AFTER EACH USE. DO NOT EAT, DRINK,OR SMOKE WHILE WORKING WITH THIS MATERIAL.
Supplemental Safety and Health
FORMULATION CHANGED. FOR PREVIOUS FORMULATION, SEE P/N A, FOCAL POINT F, THE SAME NSN.

===== Physical/Chemical Properties =====

HCC:C1
Boiling Pt:B.P. Text:200F,93C
Vapor Pres:LIKE WATER
Vapor Density:LIKE WATER
Spec Gravity:1.01
pH: