View NSN Online: https://aerobasegroup.com/nsn/9150-00-985-7317

## E/M CORPORATION, SUB OF GREAT LAKES CHEMICAL CORP -- CP-68 11-520 -- 9150-00-985-7317

Product ID:CP-68 11-520 MSDS Date:05/30/1991

FSC:9150

NIIN:00-985-7317

MSDS Number: BKRDB === Responsible Party ===

Company Name: E/M CORPORATION, SUB OF GREAT LAKES CHEMICAL CORP

Address:2801 KENT STREET, U.S. HWY. 52

Box:2400

City:WEST LAFAYETTE

State:IN ZIP:47906 Country:US

Info P

hone Num:317-497-6100/501-862-5141 AFTER HRS

Emergency Phone Num:317-497-6100/800-424-9300(CHEMTREC)

CAGE:KO238

=== Contractor Identification ===

Company Name: E / M CO. DIV OF MORGAN CHEMICAL PRODUCTS INC

Address:100 COOPER CIR

Box:3969

City:PEACHTREE CITY

State:GA ZIP:30269 Country:US

Phone:770-261-4835 / FAX: 770-631-0833

CAGE:8F024

Company Name: E/M CORPORATION, SUB OF GREAT LAKES CHEMICAL CORP

Address:2801 KENT STREET,U.S.HWY.52

Box:2400

City:WEST LAFAYETTE

State:IN ZIP:47906 Country:US Phone: 317-463-2511 CAGE:KO238

======= Composition/Information on Ingredients ========

Ingred Name: MOLYBDENUM DISULFIDE - CONCENTRATION IS TRADE SECRET

CAS:1317-33-5

RTECS #:QA4697000

Other REC Limits: NONE SPECIFIED

OSHA PEL:10 MG/M3 (MFR) ACGIH TLV:10 MG/M3 (MFR)

Ingred Name:SYNTHETIC OILS Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 AS OIL MIST ACGIH TLV:5 MG/M3 AS OIL MIST

========= Hazards Identification ===============

Routes of Entry: Inhalation:NO Skin:Y

ES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-EYES:CAN CAUSE

IRRITATION, REDNESS, BLURRED VISION. SKIN: PROLONGED CONTACT CAN CAUSE IRRITATION, DERMATITIS. INHALATION: NOT GIVEN. INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING & DIA RRHEA. CHRONIC-NOT GIVEN.

Effects of Overexposure: SEE HEALTH HAZARDS SECTION.

Medical Cond Aggravated by Exposure: MAY AGGRAVATE PRE-EXISTING SKIN DISORDERS.

\_\_\_\_\_

==== First Aid Measures ============

First Aid:GET MEDICAL ATTENTION.INHALATION:MOVE TO FRESH AIR.EYES:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES.SKIN:WASH AFFECTED AREA WITH SOAP AND WATER.INGESTION:DO NOT INDUCE VOMITING.KEEP WARM.OBTAIN MEDICA L ATTENTION.

========== Fire Fighting Measures ==============

Flash Point Method:COC Flash Point:>300F,>149C

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR HALON. DO NOT EXTINGUISH WITH WA

TER. Fire Fighting Procedures:TREAT AS PETROLEUM FIRE.USE POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE
CLOTHING.COOL CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ===========
Spill Release Procedures:REMOVE ANY SOURCES OF IGNITION. CLEAN SPILL WITH ABSORBENT MATERIAL. DO NOT STORE GREASY MATERIALS IN ENCLOSED CONTAINERS FOR LONG PERIOD OF TIME.  Neutralizing Agent:N OT APPLICABLE.
============= Handling and Storage ==============
Handling and Storage Precautions:STORAGE-STORE IN A COOL,DRY VENTILATED PLACE AWAY FROM FLAMES,ACIDS & ALKALIS.PROTECT FROM PHYSICAL DAMAGE.
Other Precautions:AVOID CONTACT WITH EYES AND SKIN. WASH HANDS BEFORE EATING OR DRINKING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE NIOSH APPROVED ORGANIC RESPIRATOR IF TWA/TLV LIMITS ARE EXCEEDED. AIR S UPPLIED BREATHING EQUIPMENT IF OIL MIST IS GENERATED.
Ventilation:LOCAL EXHAUST & MECHANICAL. USE NON SPARKING EQUIPMENT. Protective Gloves:CHEMICAL RESISTANT
Eye Protection:SAFETY GLASSES OR GOGGLES  Other Protective Equipment:EYE WASH STATION. LONG SLEEVE CLOTHING TO  MINIMIZE SKIN CONTACT.
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.
Supplemental Safety and Health FORMULATION CHANGED. F
OR PREVIOUS FORMULATION, SEE P/N A SAME NSN.  Dhysical/Chamical Branartics
======================================
HCC:V6 Solubility in Water:NIL Appearance and Odor:GRAY/BLACK LIQUID, VERY SLIGHT ODOR
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:OREN ELAMES

STRONG OXIDIZING AGENTS
Stability Condition to Avoid:OPEN FLAMES
Hazardous Decomposition Products:IRRITATING AND/OR TOXIC FUMES
INCLUDING SULFUR AND SILICONE COMPOUNDS MAY BE RELEA

SED.

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF WASTE IN A CHEMICAL LANDFILL AS APPROVED BY CURRENT FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaim

s all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.