

SPRAYON PRODUCTS -- 71101 711B PDRP BULK 1 GAL -- 8030-00-244-1297

=====
Product Identification
=====

Product ID:71101 711B PDRP BULK 1 GAL

MSDS Date:05/04/1989

FSC:8030

NIIN:00-244-1297

MSDS Number: BKYJV

=== Responsible Party ===

Company Name:SPRAYON PRODUCTS

Address:26300 FARGO AVE

City:BEDFORD HTS

State:OH

ZIP:44146

Info Phone Num:(216) 292-7400

Emergency Phone Num:(216) 292-7400

CAGE:09800

=

== Contractor Identification ==

Company Name:SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400 OR 216-595-8634

CAGE:09800

=====
Composition/Information on Ingredients
=====

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: 5%

Other REC Limits:25 PPM (SKIN)

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

Ingred Name:MEDIUM ALIPHATIC NAPHTHA (AROMATIC 100), PARAF

FIN-NAPHTHANES
MINERAL SPIRITS
CAS:64742-88-7
Fraction by Wt: 70%
Other REC Limits:100 PPM
OSHA PEL:500 PPM
ACGIH TLV:100 PPM

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: ANESTHETIC, UPPER
RESPIRATORY SYSTEM IRRITATION, LIGHT-HEADEDNESS, STAGGERING GAIT,
GIDDINESS, & NAUSEA. SKIN/EYES: IRRITATION. INGESTION
: HARMFUL &
FATAL.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: PERMANENT BRAIN, NERVOUS SYSTEM,
KIDNEY, & LIVER DAMAGE. SKIN/EYES: IRRITATION. INGESTION: HARMFUL &
FATAL.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH W/WATER FOR AT
LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. INGESTION: DON'T INDUCE
VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Flash Point:>140F
Lower Limits:1%
Extinguishing Media:CO2, DRY CHEMICAL OR FOAM.
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE. WATER MAY BE USED TO
KEEP FIRE EXPOSED CONTAINERS COOL.
Unusual Fire/Explosion Hazard:EXPOSURE TO DIRECT SUNLIGHT OR OTHER HEAT
MAY CAUSE BURSTING.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE
AREA. REMOVE W/INERT ABSORBENT

RBENT.

=====
===== Handling and Storage =====

Handling and Storage Precautions: DON'T STORE >120F. KEEP AT ROOM TEMPERATURE AS EXPOSURE TO DIRECT SUNLIGHT OR HEAT MAY CAUSE BURSTING. AVOID BREATHING VAPORS OR SPRAY MIST.
Other Precautions: KEEP AWAY FROM CHILDREN. DON'T PUNCTURE, INCINERATE OR SPRAY NEAR FIRE OR OPEN FLAME.

=====
===== Exposure Controls/Personal Protection =====

Ventilation: PROVIDE LOCAL EXHAUST VENTILATION IN VOLUME & PATTERNS TO KEEP AIR
Evaporation Rate & Reference: SLOWER THAN ETHER
Appearance and Odor: COATINGS
Percent Volatiles by Volume: 75%/WT

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
Stability Condition to Avoid: TEMPERATURES >120F, OPEN FLAME, SUNLIGHT, HEAT, & SOURCES OF IGNITION.
Hazardous Decomposition Products: CO & CO₂.

=====
===== Disposal Considerations =====

Waste Disposal Methods: DON'T PUNCTURE OR INCINERATE. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & LOCAL REGULATIONS REGARDING POLLUTION. CONSUMER COMMODITY ORM-D.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.