

BAKER SEALANTS & COATINGS COMPANY INC -- X-822 ADHESIVE -- 8040-00-266-7429

=====
Product Identification
=====

Product ID:X-822 ADHESIVE

MSDS Date:12/06/1990

FSC:8040

NIIN:00-266-7429

MSDS Number: BKYKB

=== Responsible Party ===

Company Name:BAKER SEALANTS & COATINGS COMPANY INC

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304

Country:8

Info Phone Num:(201) 333-6986

Emergency P

hone Num:(201) 333-6986

Preparer's Name:CHARLES FRIEDMAN

CAGE:FO833

=== Contractor Identification ===

Company Name:BAKER SEALANTS & COATINGS CO., INC.

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Phone:(201) 333-6986

CAGE:FO833

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

=====
Composition/Information on Ingredients
=====

Ingred Name:1,3-BUTA

DIENE POLYMER, STYRENE-BUTADIENE POLYMER

CAS:9003-55-8

RTECS #:WL6478000

Fraction by Wt: 5-10%

Ingred Name:BENZENE, (1-METHYETHYENYL)-, POLYMER W/2-METHYL-2-BUTENE & 1,3-PENTADIENE, HYDROCARBON RESIN

CAS:62258-49-5

Fraction by Wt: 5-10%

Ingred Name:AROMATIC PETROLEUM DISTILLATE, HEAVY STRAIGHT RUN NAPHTHA C6-C12 BOILING PT 149-446F

CAS:64741-41-9

Fraction by Wt: 70-90%

Other REC Limits:500 PPM

Ingred Name:SOLVENT NAPHTHA, HEAVY AROMATIC NAPHTHA

CAS:64742-94-5

RTECS #:WF3100000

Fractio

n by Wt: 5-10%

Ingred Name:VOL ORGANIC CMPD: 702

RTECS #:9999999VO

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION, REDNESS, TEARING, BLURRED VISION. INHALATION: NASAL/RESPIRATORY IRRITATION, CENTRAL NERVOUS SYSTEM EFFECT, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE/POSSIBLE UNCONSCIOUSNESS/DEA TH. I

NGESETION:

GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING/DIARRHEA. SKIN: DERMATITIS, DEFATTING & IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INGESTION: GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING & DIARRHEA. EYES: IRRITATION, REDNESS, TEARING, BLURRED VISION. SKIN: IRRITATION, DEFATTING, & DERMATITIS. INHALATION: NASAL/RESPIRATORY IRRITATION, CENTRAL NERVOUS SYSTEM EFFECT, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, DEATH & UNCONSIUO

SNESS.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/LARGE AMOUNTS OF WATER. SKIN: WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. INGESTION: DON'T INDUCE VOMITING. KEEP PERSON WARM & QUIET. ASPIRATION OF MATERIAL INTO THE LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL. OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point:90F
Lower Limits:0.9%
Upper Limits:6%
Extinguishing Media:DRY CHEMICAL, CO2 OR FOAM.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:FLAMMABLE LIQUID.

===== Accidental Release Measures =====

Spill Release Procedures:LARGE SPILLS: ELIMINATE ALL IGNITION SOURCES SUCH AS FLARES, FLAMES, PILOTS & ELECTRICAL SPARKS.

===== Handling and Storage =====

Handling and Storage Precautions:ALL LARGE METAL CONTAINERS SHOULD BE GROUNDED/BONDED WHEN MATERIAL IS TRANSFERRED. KEEP AWAY FROM SOURCES OF IGNITION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR SELF-CONTAINED BREATHING APPARATUS.
Ventilation:LOCAL EXHAUST/GENERAL
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

==

Boiling Pt:B.P. Text:240F

Melt/Freeze Pt:M.P/F.P Text: