View NSN Online: https://aerobasegroup.com/nsn/6665-00-903-4767

## TRUETECH INC -- DETECTOR TUBE, RED BAND -- 6665-00-903-4767

======== Product Identification ===========

Product ID:DETECTOR TUBE, RED BAND

MSDS Date:05/01/1990

FSC:6665

NIIN:00-903-4767

MSDS Number: BKYNZ === Responsible Party === Company Name:TRUETECH INC Address:680 ELTON AVENUE

City:RIVERHEAD

State:NY ZIP:11901

Info Phone Num:(516) 727-8600

Emergency Phone Num: (516) 727-8600

CAGE:06421 === Contractor I dentification ===

Company Name:TRUETECH INC

Address:680 ELTON AVE Box:City:RIVERHEAD

State:NY

ZIP:11901-2555 Country:US

Phone:516-727-8600

CAGE:06421

======= Composition/Information on Ingredients ========

Ingred Name: CUPRIC SULFATE (SARA III)

CAS:7758-98-7

RTECS #:GL8800000 OSHA PEL:1 MG CU/M3 ACGIH TLV:1 MG/M3 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name: SALICYLIC ACID

CAS:69-72-7

RTECS #:VO0525000

Ingred Name: SILICA, AMORPHOUS, PRECIPITATED AND GEL

CAS:7699-41-4

RTECS#

ACGIH TLV:10 MG/M3 TDUST; 9293
Ingred Name:4,4'-METHYLENEBIS(N,N-DIMETHYL)BENZENAMINE (SARA III) CAS:101-61-1 RTECS #:BY5250000
========== Hazards Identification ===========
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic:EYES/SKIN: IRRITATION. INGESTION: GASTROINTESTINAL DISTURBANCES. INHALATION: MUCOUS MEMBRANES & UPPER RESPIRATORY TRAC TIRRITATION, DUST MAY CAUSE SILICOSIS. Explanation of Carcinogenicity:SILICA GEL IS A SUSPECTED HUMAN CARCINOGEN. Effects of Overexposure:EYES/SKIN: IRRITATION. INGESTION: GASTROINTESTINAL DISTURBANCES. INHALATION: MUCOUS MEMBRANES & UPPER RESPIRATORY TRACT IRRITATION, DUST MAY CAUSE SILICOSIS.
======================================
First Aid:EYES/SKIN: FLUSH W/WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASE S.
======================================
Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE TO SURROUNDING FIRE CONDITIONS. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.
========= Accidental Release Measures ===========
Spill Release Procedures:WEAR SUITABLE PROTECTIVE CLOTHING. COLLECT FOR DISPOSAL.
======================================
Handling and Storage Precautions:DON'T STO

:VV8850000

OSHA PEL:20 MPPCF

RE IN STEEL CONTAINER. Other Precautions: AVOID CONTACT W/SKIN & EYES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED Ventilation:MECHANICAL (GENERAL): RECOMMENDED Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipment:EYEWASH Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health
======== Stability and Reactivity Data =========
Stability Indicator/M aterials to Avoid:YES MAGNESIUM, HYDROXYLAMINE. Stability Condition to Avoid:HIGH TEMPERATURE OR OPEN FLAME. Hazardous Decomposition Products:SULFUR OXIDES, CO, & CO2.
======== Disposal Considerations ===========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United Sta

This information is formulated for use by elements of the Department of Defense. The United Sta tes of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.