

HILTI INC -- SAFETY BOOSTERS 3-130 -- 1377-01-016-1416

=====  
Product Identification  
=====

Product ID:SAFETY BOOSTERS 3-130  
MSDS Date:06/14/1989  
FSC:1377  
NIIN:01-016-1416  
MSDS Number: BLBBV  
=== Responsible Party ===  
Company Name:HILTI INC  
Address:5400 SOUTH 122ND EAST AVE  
City:TULSA  
State:OK  
ZIP:74146  
Country:US  
Info Phone Num:800-727-3427  
Emergency Phone Num:918-252-6000  
CAGE:EO264  
=== Contractor  
Identification ===  
Company Name:HILTI INC  
Address:5400 S 122ND E AVE  
Box:21148  
City:TULSA  
State:OK  
ZIP:74121  
Country:US  
Phone:918-252-6000/800--879-6000  
CAGE:11239  
Company Name:HILTI INC  
Address:5400 S 122ND EAST AVE  
Box:21148  
City:TULSA  
State:OK  
ZIP:74121  
Country:US  
Phone:918-252-6000/800-879-6000  
CAGE:EO264

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LEAD TRINITRORESORCINATE; (LEAD STYPHNATE). MFR  
CAS#:15243-44-0  
CAS:15345-44-0  
RTECS #:OG6425000  
OSHA

PEL:0.05 MG(PB)/M3  
ACGIH TLV:0.15 MG(PB)/M3

Ingred Name:1-TETRAZENE,1-GUANYL-4-NITROSAMINO GUANYL-; (TETRACENE)  
CAS:109-27-3  
RTECS #:XF6900000

Ingred Name:BARIUM (II) NITRATE (1:2); (BARIUM NITRATE)  
CAS:10022-31-8  
RTECS #:CQ9625000  
OSHA PEL:0.5 MG(BA)/M3  
ACGIH TLV:0.5 MG(BA)/M3

Ingred Name:DIPHENYLAMINE  
CAS:122-39-4  
RTECS #:JJ7800000  
OSHA PEL:10 MG/M3  
ACGIH TLV:10 MG/M3; 9192

Ingred Name:ANTIMONY TRISULFIDE; (ANTIMONY SULFIDE)  
CAS:1345-04-6  
RTECS #:CC9450000  
OSHA PEL:0.5 MG(SB)/M3  
ACGIH TLV:  
0.5 MG(SB)/M3

Ingred Name:NITROGLYCERIN (NG) (SARA III)  
CAS:55-63-0  
RTECS #:QX2100000  
OSHA PEL:S,C, 0.2 MG/M3 STEL  
ACGIH TLV:S, 0.46 MG/M3; 9293  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingred Name:NITROCELLULOSE  
CAS:9004-70-0  
RTECS #:QW0970000

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and C

Chronic: IRRITATION TO EYES, SKIN & RESPIRATORY SYSTEM. ADVERSE HEALTH EFFECTS ARE NOT EXPECTED FROM LONG TERM EXPOSURE TO FUMES & GASES. HOWEVER, GOOD PERSONAL HYGIENE PRACTICES ARE ESSENTIAL TO KEEP EXPOSURE TO A MINIMUM. KNOWN HAZARDS: IRRITATION FROM FUMES & GASES.

Explanation of Carcinogenicity: NOT RELEVANT.

Effects of Overexposure: SEE HEALTH HAZARDS.

Medical Condition Aggravated by Exposure: NONE ANTICIPATED.

=====  
===== First Aid Measures =====

F

First Aid: EYE: IF IRRITATION OCCURS, FLUSH WITH PLENTY OF H<sub>2</sub>O. CALL MD IF SYMPTOMS PERSIST. SKIN: WASH THOROUGHLY WITH SOAP/H<sub>2</sub>O IF IRRITATION OCCURS. INHALATION: MOVE TO FRESH AIR. GET MD IF SYMPTOMS PERSIST. INGESTION: GET MD IMMEDIATELY. OTHER: SEEK PROMPT MEDICAL ATTENTION IF PHYSICAL INJURY OCCURS FROM PINS/RIVETS/SHRAPNEL/ETC. FOR BLEEDING WOUNDS, PLACE CLEAN MATERIAL ON THE WOUND & APPLY FIRM HAND PRESSURE. ELEVATE THE WOUND & TRANSPORT IMMEDIATELY TO MEDICAL FACILITY.

=====  
===== Fire Fighting Measures =====

==

Extinguishing Media: WATER.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. FLOOD AREA WITH WATER OR KEEP CARTRIDGES COOL WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: CARTRIDGES CAN EXPLODE WHEN EXPOSED TO TEMPERATURES ABOVE 200 C.

=====  
===== Accidental Release Measures =====

Spill Release Procedures: NONE SPECIFIED BY MANUFACTURER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage

age =====

Handling and Storage Precautions: STORE IN A COOL/DRY PLACE. DO NOT CRUSH OR DROP. KEEP AWAY FROM EXCESS HEAT, ELECTRICAL CURRENT & STRONG ACIDS OR OXIDIZERS.

Other Precautions: USE ONLY IN POWDER ACTUATED TOOLS DESIGNED TO HANDLE THESE BOOSTERS. EMPLOYERS MUST BE PROPERLY TRAINED AS PRESCRIBED IN 29 CFR 1926.302(E)

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection: PARTICULATE NIOSH/MSHA APPROVED RESPIRATOR WHERE

AIR MOVEMENT IS INADEQUATE TO MAINTAIN EXPOSURE BELOW RECOMMENDED LEVELS.

Ventilation:(NATURAL OR MECHANICALLY INDUCED FRESH AIR MOVEMENTS THAT MAINTAIN EXPOSURE LEVELS BELOW RECOMMENDED LIMITS.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:MUFFS OR AURAL INSERTS. SEE 29 CFR 1910.95.

Work Hygienic Practices:WASH EXPOSED SKIN THOROUGHLY AFTER USE. WASH HANDS BEFORE EATING.

Supplemental Safety and Health

NONE SPECIFIED B

Y MANUFACTURER.

===== Physical/Chemical Properties =====

Appearance and Odor:BRASS CASING COLOR; CURED ON STAR CRIMP.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS & OXIDIZING MATERIALS.

Stability Condition to Avoid:ACIDS, EXCESS HEAT, CRUSHING & ELECTRICAL CURRENTS.

Hazardous Decomposition Products:OXIDES OF NITROGEN, ACRID FUMES & LEAD.

===== Disposal Considerations =====

Waste Disposal Methods:MISFIRES, BENT CARTRIDGES, ETC. SHOULD BE STORED IN A CONTR OF WATER TO WHICH DETERGENT HAS BEEN ADDED AS A "WETTING" AGENT. THE ONLY PROPER DISP METHOD IS TO INCIN IN SMALL AMTS IN A BURNER SPECIFICA LLY DESIGNED FOR DESTROYING HAZ AMMUNITION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America i

n no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.