

NAUTCO INDUSTRIAL AND MARINE -- SILOO SCREWLOOSE 3BB (AEROSOL) -- 6850-01-043-8511

===== Product Identification =====

Product ID:SILOO SCREWLOOSE 3BB (AEROSOL)

MSDS Date:08/01/1990

FSC:6850

NIIN:01-043-8511

MSDS Number: BLBCP

=== Responsible Party ===

Company Name:NAUTCO INDUSTRIAL AND MARINE

Address:333 LAKE AVE SUITE D

City:SANTA CRUZ

State:CA

ZIP:95062

Country:US

Info Phone Num:408-479-7955

Em

ergency Phone Num:408-479-7955

Preparer's Name:ALLEN REED

CAGE:0L3F9

=== Contractor Identification ===

Company Name:CRC INDUSTRIES, INC.

Address:885 LOUIS DRIVE

Box:City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Phone:215-674-4300/800-424-9300

CAGE:10136

Company Name:NAUTCO INDUSTRIAL AND MARINE

Address:333 LAKE AVE SUITE D

Box:City:SANTA CRUZ

State:CA

ZIP:95062

Country:US

Phone:408-479-7955

CAGE:0L3F9

Company Name:SILOO

Box:2549

City:WARMINSTER

State:PA

ZIP:18974

Country:US

Phone:215-674-43

00
CAGE:54037

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROTREATED LIGHT PETROLEUM DISTILLATE
CAS:64742-47-8
Fraction by Wt: 86%
Other REC Limits:NONE SPECIFIED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingred Name:INHIBITED PARAFFINIC OIL
Fraction by Wt: 10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3 OIL MIST
ACGIH TLV:5 MG/M3 OIL MIST

Ingred Name:CARBON DIOXIDE
CAS:124-38-9
RTECS #:FF6400000
Fraction by Wt: 4%
Other REC Limits:NONE SPECIFIED
OSHA PEL
:5000 PPM
ACGIH TLV:5000PPM/30000STEL;93

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE OVEREXPOSURE: MAY CAUSE BURNING
AND IRRITATION OF THE EYES. SKIN CONTACT WILL CAUSE DRYNESS.
INHALATION OF MIST MAY CAUSE BREATHING PROBLEMS. VAPORS MAY CAUSE
HEADACHES, DIZZINESS, NAUSEA. CHRO NIC OVEREXPOSURE: PROLONGED
E
XPOSURE TOSKIN MAY CAUSE THE DEVELOPMENT OF DERMATITIS.
Effects of Overexposure:SEE HEALTH HAZARDS.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESPIRATION
IR NECESSARY. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15
MINUTES. SKIN: REMOVE CONTAMINATED CLOTHING. WASH EXPOSED AREA
WITH SOAP AN D WATER. INGESTION: DO NOT INDUCE VOMITING. CALL A
PHYSICIAN.

=====
Fire Fighting M
=====

asures =====

Flash Point Method:COC

Flash Point:175F,79C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL OR FOAM.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING CHEMICALS.

Unusual Fire/Explosion Hazard:AEROSOL CONTAINERS MAY EXPLODE WHEN HEATED ABOVE 130F.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA, ABSORB WITH INERT MATERIAL AND PLACE IN A CLOSED CON

TAINER.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA.

Other Precautions:AEROSOLS MAY EXPLODE WHEN HEATED ABOVE 130F. VAPORS ARE HEAVIER THAN AIR AND WILL TEND TO COLLECT IN LOW AREAS. BE SURE PROPER VENTILATION IS ALWAYS MAINTAINED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR FOR HIGH MIST CONCENTRATI

ONS

Ventilation:ADEQUATE VENTILATION TO MAINTAIN OIL MIST BELOW THE PEL WHEN SPRAYED.

Protective Gloves:SOLVENT RESISTANT

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NOT NORMALLY REQUIRED FOR AEROSOL PRODUCT USAGE.

Work Hygienic Practices:NORMAL PRACTICES.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:380F,193C

Vapor Pres:0.23 MM HG

Vapor Density:> AIR

Spec Gravity:0.8167

Evaporation Rat

e & Reference:SLOW 0.01 (TOLUENE=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AMBER LIQUID WITH A PLEASANT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, OR OPEN FLAMES.

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:AL

L USED AND UNUSED PRODUCT SHOULD BE DISPOSED

OF IN CONFORMANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional a

dvice to verify and

assume responsibility for the suitability of this information to their

particular situation.