View NSN Online: https://aerobasegroup.com/nsn/6850-00-970-5214

Product ID:DOW CORNING(R) 200 FLUID, 50 CS-ELEC. GRADE MSDS Date:04/16/1990 FSC:6850 NIIN:00-970-5214 **MSDS Number: BLDBG** === Responsible Party === Company Name: DOW CORNING CORP Address:3901 SOUTH SAGINAW ROAD Box:997 City:MIDLAND State:MI ZIP:48686 Country:US Info Phone Num:517-4 96-6000 Emergency Phone Num:517-496-5900 Preparer's Name: JACK L. SHENEBERGER CAGE:5D028 === Contractor Identification === Company Name: DOW CORNING CORP Address:3901 S SAGINAW RD Box:997 City:MIDLAND State:MI ZIP:48686-0997 Country:US Phone:517-496-6000/517-496-6315 CAGE:5D028 Company Name: DOW CORNING CORP Address:2200 W SALZBURG RD Box:City:AUBURN State:MI ZIP:48611 Country:US Phone:517-496-4388 CAGE:71984

Ingred Name:SILICON

E FLUID (DIMETHYLPOLYSILOXANE) CAS:63148-62-9 Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: EYE:MAY BE MILDLY IRRITATING. SKIN:NO ADVERSE EFFECT FOR SINGLE USE OVER 24-48 HOURS. INHALATION:NOT EXPECTED TO BE A RELEVANT ROUTE OF EXPOSURE ; HIGH TEMPERATURE VAPORS MAY IRRITATE RESPIRATOR Y TRACT. INGESTION:LOW LEVEL OF TOXICITY. CHRONIC: NO ILL EFFECTS KNOWN, HOWEVER, UNNECESSARY EXPOSURE MUST BE AVOIDED. Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:MAY CAUSE EYE, SKIN & RESPIRATORY TRACT

IRRITATION. LOCAL NECROSIS IS EVIDENCED BY DELAYED ONSET OF PAIN AND TISSUE DAMAGE A FEW HOURS FOLLOWING INJECTION INTO SKIN

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION. EYE: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH S OAP & WATER/WATERLESS CLEANER. REMOVE CONTAMINATED CLOTHING. IF IRRITATION PERSISTS,

GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IN GENERAL, NO TREATMENT IS REQUIRED. GET MEDICAL ADVICE.

Flash Point Method:OC Flash Point:>500F,>260C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual

Fire/Explosion Hazard:NONE KNOWN TO DOW CORNING.

Spill Release Procedures: SCOOP UP EXCESS OR SOAK WITH INERT ABSORBANT AND COLLECT FOR PROPER DISPOSL. CLEAN AREA WITH APPROPRIATE CLEANER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP CONTAINERS TIGHTL Y CLOSED WHEN NOT IN USE. KEEP AWAY FROM OPEN FLAMES & HIGH TEMPERATURES. Other Precautions: MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES (SHOES) THAT CAN NOT BE DECONTAMINATED. Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION **EXPOS** URES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS. RESPIRATORY PROTECTION NOT ORDINARILY R EQUIRED. Ventilation:NONE REQUIRED Protective Gloves: NEOPRENE RUBBER AS REQUIRED. Eye Protection: SAFETY GLASSES RECOMMENDED. Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health DO NOT GET IN EYES OR ON CLOTHING. 

HCC:N1 Vapor Pres: