View NSN Online: https://aerobasegroup.com/nsn/7930-01-270-1564 ECOLAB INC ECOLAB CENTER -- ECO SAN -- 7930-01-270-1564 ============ Product Identification ========================= Product ID:ECO SAN MSDS Date:12/13/1988 FSC:7930 NIIN:01-270-1564 MSDS Number: BLDDM === Responsible Party === Company Name: ECOLAB INC ECOLAB CENTER Address:370 WABASHA ST City:SAINT PAUL State:MN ZIP:55102-1307 Country:US Info Phone Num:612-293-2570 Emergency Phone Num:612-293-2570 CAGE:85884 === Contracto r Identification === Company Name: ECOLAB PROFESSIONAL PRODUCTS DIVISION OF ECOLAB INC. Address: ECOLAB CENTER Box:City:ST PAUL State:MN ZIP:55102 Country:US Phone:800-352-5326 CAGE:85884 ======= Composition/Information on Ingredients ======== Ingred Name: SODIUM HYPOCHLORITE (SARA III) CAS:7681-52-9 RTECS #:NH3486300 Fraction by Wt: 8.4% EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

============= Hazards Identification ========================

LD50 LC50 Mixture: NONE SPECIFIED BY

MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN/EYE:CAUSES CHEMICAL BURNS. EYE
CONTACT MAY CAUSE BLINDNESS. INGEST:HARMFUL. CAUSES CHEMICAL BURNS
OF MOUTH, THROAT AND STOMACH. INHAL:VAPORS OR MIST CAUSE
IRRITATION, INCLUDING A BURNING TASTE, S NEEZING, COUGHING AND
DIFFICULTY BREATHING. PEOPLE WITH ASTHMA OR OTHER LUNG PROBLEMS MAY
BE MORE SUSCEPTIBLE.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
Wedical Cond Aggravated by Exposure. NOTVE of Eon 120 DT WATER ACTORETS.
======================================
First Aid:EYE:IMMED FLUSH W/PLENTY OF COOL RUNNING WATER. REMOVE
CONTACT LENSES. CONTINUE FLUSHING FOR AT LEAST 15 MIN, HOLDING
EYELIDS APART TO ENSURE RINSING OF ENTIRE EYE. CALL A PHYSICIAN
IMMED. SKIN:IMMED FLUSH SKIN W/PLENTY OF COOL RUNNING WATER FOR AT
LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES.
WASH CLOTHING BEFORE REUSE. INGEST:RINSE MOUTH AT ONCE; THEN DRINK
1/TWO (SUPP DATA)
171110 (3311 27117)
======================================
Extinguishing Media: USE EXTING MEDIA SUITIBLE FOR SURROUNDING FIRES.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT . PRODUCT DOES NOT SUPPORT COMBUSTION.
Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY GENERATE HAZARDOUS
DECOMP OSITION PRODUCTS INCLUDING CHLORINE GAS.
OSITION FRODUCTS INCLUDING CHEORINE GAS.
========= Accidental Release Measures ===========
Spill Release Procedures: USE PROPER PROTECTIVE EQUIPMENT. DIKE OR DAM
LARGE SPILLS. PUMP TO CONTAINERS OR SOAK UP ON INERT ABSORBENT.
FLUSH RESIDUE TO SANITARY SEWER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: NONE SPECIFIED BY MANUFACTURER. Other Precautions: AVOID BREA

====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN. Ventilation:NONE SPECIFIED BY MANUFACTURER. Protective Gloves:RUBBER GLOVES, PROT CUFF OR (SUPP DATA) Eye Protection:CHEMICAL WORKERS GOGGLES. (SUPP DATA) Other Protective Equipment:EMERGENCY EYE WASH AND DELUGE SHOWER. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safet y and Health
FIRST AID:LARGE GLASSES OF WATER OR MILK. DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. INHAL:IMMEDIATELY MOVE TO FRESH AIR. CALL POISON CONTROL CENTER OR PHYSICIAN IM MEDIATELY. PROT GLOVE:GAUNTLET TYPE PREFERRED. EYE PROT:ADD FULL LENGTH FACESHIELD TO GOGGLES.
======================================
HCC:B3 Boiling Pt:B.P. Text:>212F,>100C Spec Gravity:1.16-1.17 pH:10.5 Solubility in Water:COMPLETE Ap
pearance and Odor:CLEAR LIGHT YELLOW LIQUID WITH CHLORINE ODOR.
======================================
Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:MIX ONLY WITH WATER. DO NOT MIX WITH ACIDS OR AMMONIA-WILL CAUSE HAZARDOUS VAPORS. Hazardous Decomposition Products:CHLORINE GAS
========= Disposal Considerations ==============
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL,

THING MISTS OR VAPORS OF THIS PRODUCT.

STATE, AND
FEDERAL REGULATIONS . UNUSED PRODUCT AS A WASTE IS CORROSIVE (D002)
BY RCRA CRITERIA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.