

FORD MOTOR CO; PARTS & SERVICE DIV, GOVNMT SALES -- MOTORCRAFT FORD AUTOMATIC TRANSMISSION FLUI -- 9150-00-252-0293

===== Product Identification =====

Product ID:MOTORCRAFT FORD AUTOMATIC TRANSMISSION FLUI

MSDS Date:11/23/1988

FSC:9150

NIIN:00-252-0293

MSDS Number: BLFBR

=== Responsible Party ===

Company Name:FORD MOTOR CO; PARTS & SERVICE DIV, GOVNMT SALES

Address:3000 SCHAEFER ROAD

Box:1902

Cit

y:DEARBORN

State:MI

ZIP:48121

Country:US

Info Phone Num:313-337-3182 OR 313-323-0045

Emergency Phone Num:313-337-3182 OR 313-323-0045

Preparer's Name:DGSC-SSH

CAGE:EO208

=== Contractor Identification ===

Company Name:FORD MOTOR CO, GOVERNMENT PART SALES

Address:3000 SCHAEFER ROAD

Box:1902

City:DEARBORN

State:MI

ZIP:48121

Country:US

Phone:313-323-0045

CAGE:23040

Company Name:FORD MOTOR CO; PARTS & SERVICE DIV, GOVNMT SALES

Address:3000 SCHAEFER ROAD

Box:1902

City:DEARBORN

State:MI

ZIP:48121

Count

ry:US  
Phone:800-959-3673  
CAGE:EO208  
Company Name:SOUTH SIDE ENTERPRISES CORP  
Address:RT 92  
Box:100  
City:CHASE CITY  
State:VA  
ZIP:23924  
Country:US  
Phone:703-448-5369 WRONG NUMBER!  
CAGE:48122  
Company Name:UPD INC  
Address:820 AVE F SUITE 104  
Box:861468  
City:PLANO  
State:TX  
ZIP:75086-1468  
Country:US  
Phone:214-881-0137  
CAGE:5P920

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY  
PARAFFINIC  
CAS:64742-65-0  
RTEC  
S #:PY8038500  
Fraction by Wt: >60%  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:5 MG/M3 (OIL MIST)

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EXPOSURE TO OIL MIST/FUME/VAPOR MAY  
CAUSE RESPIRATORY TRACT IRRITATION. THIS PRODUCT MAY CA  
N GED OR REPEATED SKIN CO

CONTACT MAY CAUSE

IRRITATION/DERMATITIS. THIS PRODUCT MAY CAUSE IRRITATION TO THE EYES AND RESPIRATORY SYSTEM.

Explanation of Carcinogenicity: PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED BY NTP, IARC OR OSHA AS CARCINOGENIC.

Effects of Overexposure: SEE HEALTH HAZARDS.

Medical Conditions Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid: (FROM THE 1990 EMERGENCY RESPONSE GUIDEBOOK, NOT IN MSDS)  
MOVE

VE VICTIM TO FRESH AIR AND CALL EMERGENCY MEDICAL CARE; IF NOT BREATHING; IF BREATHING IS DIFFICULT GIVE OXYGEN. IN CASE OF CONTACT WITH MATERIAL, IMMEDIATELY FLUSH EYES WITH RUNNING WATER FOR AT LEAST 15 MIN. WASH SKIN WITH SOAP AND WATER. REMOVE AND ISOLATE CONTAMINATED CLOTHING AND SHOES AT THE SITE.

=====  
===== Fire Fighting Measures =====

Flash Point Method: COC

Flash Point: >345F, >174C

Extinguishing Media: DRY CHEMICAL, FOAM OR CARBON DIOXIDE.

Fire Fighting Procedures: WATER OR FOAM MAY CAUSE FROTHING IF THE PRODUCT IS HEATED ABOVE 93C. USE WATER TO COOL FIRE EXPOSED CONTAINERS AND TO PROTECT PERSONNEL.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures: DO NOT ALLOW THIS MATERIAL TO DRAIN INTO SEWERS/WATER SUPPLIES. ABSORB WITH AN INERT MATERIAL. SURFACE BECOME SLIPPERY AFTER SPILLAGE. FOR LARGE SPILLS USE SAND, PERLITE OR VERMICULITE AS ABSORBENT.

=====  
===== Handling and Storage =====

Handling and Storage Precautions: KEEP THIS MATERIAL IN A COOL WELL-VENTILATED PLACE. AVOID PROLONGED OR REPEATED CONTACT WITH THIS MATERIAL. AVOID THE GENERATION OF MISTS.

Other Precautions: NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT NORMALLY NECESSARY.

Ventilation: LOCAL EXHAUST IS SUGGESTED FOR USE.

Protective Gloves:

IMPERVIOUS GLOVES FOR LONG EXPOSUR

Eye Protection:E. SAFETY GLASSES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

MSDS CREATED BY DGSC-SSH FROM EXISTING MSDS FROM FORD FOR TYPE F  
HYDRAULIC FLUID.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>601F,>316C

Spec Gravity:0.870

Solubility in Water:INSOLUBLE

Appearance and Odor:LIQUID, PETROLEUM  
DISTILLATE

===== Stability and Reactivity Data =====

OXIDIZING AGENTS.

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS AND OPEN FLAMES.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND/OR  
LOW MOLECULAR WEIGHT HYDROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE ACCORDING TO LOCAL, STATE AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the  
compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.