View NSN Online: https://aerobasegroup.com/nsn/9150-01-023-4691 TEXACO INC -- CAPELLA OIL WF 68, 01562 -- 9150-01-023-4691 ============= Product Identification ======================== Product ID:CAPELLA OIL WF 68, 01562 MSDS Date:06/21/1989 FSC:9150 NIIN:01-023-4691 MSDS Number: BLFCH === Responsible Party === Company Name: TEXACO INC Box:509 City:BEACON State:NY ZIP:12508-0509 Country:US Info Phone Num:914-831-3400 EXT 204 Emergency Phone Num:914-831-3400 EXT 204 Preparer's Name: M J A LLMEN **CAGE:7B131** === Contractor Identification === Company Name: TEXACO INC Box:509 City:BEACON State:NY ZIP:12508-0509 Country:US Phone:914-831-3400 CAGE:7B131 ======= Composition/Information on Ingredients ======== Ingred Name: PETROLEUM DISTILLATES, CLAY-TREATED HEAVY NAPHTHENIC; (SEVERELY REFINED)

CAS:64742-44-5

RTECS #:SE7449700 Fraction by Wt: 100%

OSHA PEL:5 MG/M3 MIST (MFR) ACGIH TLV:5 MG/M3 MIST (MFR)

========== Hazards Identification ================

LD50 LC50 Mixture:LD50 (ORL-RAT) >5 G/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: VAPORS OR MIST IN EXCESS OF PERMISSIBLE CONCENTRATIONS MAY CAUSE IRRITATION (NOSE/THROAT), HEADACHE, NAUSEA, AND DROWSINESS. EYE/SKIN: BELIEVED TO BE MINIMALLY IRRITATING. Explanation of Carcinogenicity: NOT RELEVANT. Effects of Overexposure: SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: NONE S PECIFIED BY MANUFACTURER. First Aid:EYES: AS W/MOST FOREIGN MATLS, FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN: WASH EXPOSED AREAS WITH SOAP AND WATER. INGESTION: NONE CONSIDERED NECESSARY. INHALATION:IF IRRITATION OR DROWSINESS OCCURS, REMOVE TO FRESH AIR. ============= Fire Fighting Measures ======================== Flash Point Method:COC Flash Point:405F,207C Extinguishing Media:WATE R SPRAY, DRY CHEMICAL, FOAM, OR CO*2. WATER OR FOAM MAY CAUSE FROTHING. Fire Fighting Procedures: WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP.USE WATER TO COOL FIRE-EXPOSED CNTNRS.IF LEAK/SPILL IS NOT IGNIT, USE H*20 SPRAY TO DISPERSE VPRS (SUPP DATA) Unusual Fire/Explosion Hazard: THERMAL DECOMPOSITION: CO, CO*2, ALDEHYDES, KETONES. ======== Accidental Release Measures ============ Spill Release Procedures: CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SU ITABLE MATERIAL AND SHOVEL UP. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:MIN. FEASIBLE HANDLING TEMPS SHOULD BE MAINTAINED.PERIODS OF EXPOSURE TO HIGH TEMPS SHOULD BE MINIMIZED.WATER CONTAMINATION SHOULD BE AVOIDED.

Other Precautions:EMPTY CNTRS CAN BE HAZ IF USED TO STORE TOX/FLAM/REACTIVE MTLS. CUTTING/WELDING OF EMPTY CNTRS MAY CAUSE FIRE /EXPLOSION/TOXIC FUMES FROM

RESIDUES. DO NOT PRESSURIZE/EXPOSE TO OPEN FLAME/HEAT.KEEP CNT RS CLOSED AND BUNGS IN PLACE. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: IF VAPOR, MIST OR DUST IS GENERATED IN EXCESS OF PERMISSIBLE CONCENTRATIONS USE RESPIRATOR APPROVED BY NIOSH/MSHA. Ventilation: ADEQUATE TO MEET COMPONENT PERMISSABLE CONCENTRATIONS. Protective Gloves: IMPERVIOUS GLOVES Eye Protection: CHEMICAL WORKERS GLOVES Other Protective Equipment: NONE SPECIFIED BY MAN UFACTURER. Work Hygienic Practices: CLEANSE EXPOSED SKIN AREAS SEVERAL TIMES DAILY W/SOAP & WATER.LAUNDER SOILED CLOTHING AT LEAST WEEKLY. Supplemental Safety and Health FIRE FIGHT PROC: AND PROVIDE PROTECTION FOR PERSONS ATTEMPTING TO STOP LEAK. ======== Physical/Chemical Properties =========== Spec Gravity:0.9001 Appearance and Odor:PALE LIQUID ======== Stability and Reactivity Data ========== STRONG OXIDIZERS Stability Condition to Avoid: NONE SP

ECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CO,CO*2 AND ALDEHYDES AND KETONES MAY BE FORMED FROM THERMAL DECOMPOSITION.

======= Disposal Considerations ============

Waste Disposal Methods: DISPOSE OF I/A/W/ FEDERAL, STATE, AND LOCAL REGULATIONS. IT IS RESPONSIBILITY OF USER TO DETERMINE IF PRODUCT IS HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of th

e Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.