

DOW CHEMICAL U S A GOVERNMENT MARKETING -- ETHAFOAM (R) 222 SHEET BRAND
POLYETHYLENE P -- 9330-01-097-2110

=====
Product Identification
=====

Product ID:ETHAFOAM (R) 222 SHEET BRAND POLYETHYLENE P

MSDS Date:03/20/1988

FSC:9330

NIIN:01-097-2110

MSDS Number: BLHJJ

=== Responsible Party ===

Company Name:DOW CHEMICAL U S A GOVERNMENT MARKETING

Address:2020 DOW CENTER

City:MIDLAND

State:MI

ZIP:48640-6

030

Country:US

Info Phone Num:517-636-1000

Emergency Phone Num:517-636-4400

CAGE:71981

=== Contractor Identification ===

Company Name:DOW CHEMICAL CO

Address:100 LARKIN CENTER

Box:City:MIDLAND

State:MI

ZIP:48674

Country:US

Phone:800-258-2436

CAGE:96717

Company Name:DOW CHEMICAL U S A

Address:BARSTOW BLDG

City:MIDLAND

State:MI

ZIP:48640

Country:US

Phone:517-636-4400

CAGE:71981

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYETHYLENE

CAS:9002-88-4

RTECS #:TQ3

325000
Fraction by Wt: 84-100%
Other REC Limits:NONE SPECIFIED

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)
CAS:75-71-8
RTECS #:PA8200000
Fraction by Wt: 0-3%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS
Ozone Depleting Chemical:1

Ingred Name:DICHLOROTETRAFLUOROETHANE (SARA III)
CAS:76-14-2
RTECS #:KI1101000
Fraction by Wt: 0-11%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9192
Ozone Depleting
Chemical:1

Ingred Name:COLOR CONCENTRATE IN POLYETHYLENE
Fraction by Wt: 0-2%
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE-SOLID OR DUST MAY CAUSE IRRITATION
OR CORNEAL INJURY DUE TO MECHANICAL ACTION. SKIN-ESSENTIALLY
NONIRRITATING TO SKIN. INGEST-UNLIKELY DUE TO PHYSICAL STATE.
IN
HALE-DUST MAY CAUSE IRRITATION TO UP PER RESPIRATORY TRACT.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure:BASED ON AVAILABLE DATA, OVEREXPOSURE IS NOT
ANTICIPATED TO CAUSE ANY SIGNIFICANT ADVERSE EFFECTS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES-

IRRIGATE IMMEDIATELY WITH WATER FOR 5 MINUTES. SKIN-NO
ADVERSE EFFECTS ANTICIPATED BY THIS ROUTE OF EXPOSURE. INGEST- NO
ADVERSE EFFECTS ANTICIPATED BY THIS ROUTE OF EXPOSURE.
INHALE-REMOVE TO FRESH AIR. CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Extinguishing Media:USE WATER FOG.
Fire Fighting Procedures:WEAR SELF CONTAINED, POSITIVE PRESSURE
BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:AVOID DENSE SMOKE.

=====

= Accidental Release Measures =====

Spill Release Procedures:PICK UP AND HANDLE AS ANY OTHER INERT
MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:PRACTICE REASONABLE CARE & CLEANLINESS
AS A COMMON SENSE SAFETY PRECAUTION WHEN HANDLING THIS PRODUCT.
Other Precautions:WARNING: THIS POLYETHYLENE FOAM IS COMBUSTIBLE AND
SHOULD NOT BE EXPOSED TO FLAME OR OTHER IGNITION SOURCES. KEEP AWAY
FROM CHILDREN. C
HOCKING AND/OR SWALLOWING OF FOAM BY SMALL CHILDREN
MAY OCCUR.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO RESPIRATORY PROTECTION SHOULD BE NEEDED.
Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. LOCAL
EXHAUST MAY BE NECESSARY FOR SOME OPERATIONS (HOT-WIRE CUTTING, ETC
Protective Gloves:NONE SHOULD BE NEEDED.
Eye Protection:SAFETY GLASSES
Other Protective Equipment:WEAR CLEAN BODY-COVERING CLOTHING SHOULD BE
NEEDED. HAVE
EMERGENCY EYE WASH AND SAFETY SHOWER AVAILABLE.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING, DRINKING OR SMOKING.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Spec Gravity:0.02-0.18
Solubility in Water:INSOLUBLE
Appearance and Odor:CELLULAR SOLID PLASTIC FOAM. NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGE

NTS.

Stability Condition to Avoid:AVOID FIRE AND TEMPERATURES OVER 329C.

Hazardous Decomposition Products:CARBON MONOXIDE IS GENERATED UNDER
NORMAL COMBUSTION CONDITIONS. ADDITIONAL TOXIC SUBSTANCES MAY BE
RELEASED.

===== Disposal Considerations =====

Waste Disposal Methods:REUSE, OR BURY IN AN APPROVED LANDFILL. FOLLOW
ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information

is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.