

N/P -- NORCAST A-4000 PART B -- 8040-00-097-6524

Product ID:NORCAST A-4000 PART B

MSDS Date:01/01/1987

FSC:8040

NIIN:00-097-6524

Kit Part:Y

MSDS Number: BLJFS

=== Responsible Party ===

CAGE:33530

=== Contractor Identification ===

Company Name:R.H.CARLSON COMPANY,INC.

Address:41-CHESTNUT STREET

Box:1687

City:GREENWICH

State:CT

ZIP:06830-5921

Country:US

Phone:203-531-5500

CAGE:33530

=====
Composition/Information on Ingredients
=====

Ingred Name:AMINOPROPYLTRIETHOXYSILANE

Fraction by Wt: 80-99%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:MAY CAUSE IRRITATION. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. EYE CONTACT MAY CAUSE MILD IRRITATION. INGESTION OF THE MATERIAL MAY PRODUCE ABDOMINAL PAIN. INHALATION CAUSES MILD RESPIRATORY IRRITATION.

=====
First Aid Measures
=====

First Aid:INGEST: IMMEDIATELY DILUTE WITH LARGE AMOUNT OF WATER. DON'T INDUCE VOMIT. VOMIT OCCURS--GIVE FLUID. DRUG MAY INDUCE VOMIT OR STOMACH EVACUATION. UNCONSCIOUS--NO FLUID. SKIN: FLUSH WITH WATER--15 MIN. REMOVE CONTAMINATED CLOTH /SHOES. STILL IRRIT--CALL DR. EYE: IMMEDIATELY FLUSH WITH LARGE AMOUNT OF WATER--15 MIN, EYELIDS APART. DON'T ATTEMPT TO NEUTRALIZE ANY CHEMICAL. CALL DR ASAP. FLUSH 15 MIN MORE IF NO MEDICAL AID AVAILABLE. INHAL: REMOVE *

=====
Fire Fighting Measures
=====

Flash Point:220F,104C; TOC

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING/SPLASH GOGGLES. SOAK UP LIQUID W/SAWDUST/CLAY/OIL ABSORBER. SWEEP UP ABSORBED MATERIAL AND PLACE IN CHEMICAL WASTE DRUM. WASH W/DETERGENT & WATER. LARGE SPILLS SHOULD BE DIKED AND PUMPED INTO A DRUM.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID CONTACT WITH SKIN AND EYES. USE IN A WELL VENTILATED AREA.

Other Precautions:EYEWASH STATIONS SHOULD BE AVAILABLE. PEOPLE USING CONTACT LENSES SHOULD TAKE EXTRA PRECAUTIONS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:OPEN OR WELL-VENT AREA/MECHANICAL VENT. NO ADEQUATE VENTILATION AVAILABLE--USE NIOSH APPROVED ORGANIC VAPOR RESPIRATORS. WHERE EXPOSURE NECESSITATES A HIGHER LEVEL OF PROTE

CTION, A POSITIVE PRESSURE AIR SUPPLY RESPIRATOR IS RECOMMENDED.

Ventilation:GENERAL MECHANICAL VENTILATION IS SUGGESTED IN A CLOSED AREA.

Protective Gloves:APPROVED RUBBER GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:PROTECTIVE APRON/COVERALS

Work Hygienic Practices:USE GOOD HYGIENIC PRACTICES.

Supplemental Safety and Health

*FROM AREA SEEK MEDICAL ATTENTION IF BREATHING IS DIFFICULT. OXYGEN MAY BE DELIVERED UPON A DOCTOR'S ADVICE. IF NOT BREATHING, GIVE ARTI

FICIAL RESPIRATION, PREFERABLY MOUTH TO MOUTH.

=====
Physical/Chemical Properties
=====

Viscosity:1 CPS

=====
Stability and Reactivity Data
=====

Hazardous Decomposition Products:CARBON MONOXIDE, SILICON DIOXIDE, ETHANOL.

=====
Disposal Considerations
=====

Waste Disposal Methods:MATERIAL THAT CANNOT BE USED SHOULD BE DISPOSED OF IN AN EPA AUTHORIZED FACILITY. DISPOSE OF EMPTY CONTAINERS ACCOR

DING TO ANY APPLICABLE REGULATIONS UNDER THE RESOURCE
CONSERVATION AND RECOVERY ACT.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their
particular situation.