

N/P -- 579.60 PLASTIC SEALER -- 8030-00-683-9014

Product ID:579.60 PLASTIC SEALER

MSDS Date:01/01/1987

FSC:8030

NIIN:00-683-9014

MSDS Number: BLJJT

=== Responsible Party ===

CAGE:77464

=== Contractor Identification ===

Company Name:INMONT CORP

Address:3738 CHOUTEAU AVE

Box:City:ST LOUIS

State:MO

ZIP:63110-2546

Country:US

CAGE:77464

=====  
===== Composition/Information on Ingredients =====

Ingred Name:POLYISOBUTYLENE

C

AS:9003-27-4

RTECS #:UD1010000

Fraction by Wt: 20-60%

Other REC Limits:NONE SPECIFIED

Ingred Name:CALCIUM CARBONATE

CAS:471-34-1

RTECS #:FF9335000

Fraction by Wt: 20-60%

Other REC Limits:10 MG/M3

Ingred Name:TALC (CONTAINING NO ASBESTOS)

CAS:14807-96-6

RTECS #:WW2710000

Fraction by Wt: 10-30%

Other REC Limits:2 MG/M3

OSHA PEL:2 MG/M3 RDUST

ACGIH TLV:2 MG/M3 RDUST; 9192

Ingred Name:PIGMENTS

CAS:9003-27-4

RTECS #:UD1010000

Fraction by Wt: TRACE

Other REC Limits:NONE SPECIFIED

Ingred Name:OCTAD

ECANOIC ACID, ALUMINUM SALT

CAS:637-12-7

RTECS #:WI2820000

Fraction by Wt: 1-5%

Other REC Limits:10 MG/M3

Ingred Name:CELLULOSE (PAPER FIBER)

CAS:9004-34-6

RTECS #:FJ5691460

Fraction by Wt: 1-5%

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3; 9192

=====  
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure:NO SIGNIFICANT SIGNS OF ANY ADVERSE HEALTH

HAZARDS ARE EXPECTED TO OCCU

R AS A RESULT OF INHALATION EXPOSURE OR

SKIN CONTACT. EYES AND SKIN CONTACT: LOW HAZARDS.

=====  
===== First Aid Measures =====

First Aid:EYE CONTACT: TAKE OUT AS WITH ANY OTHER FOREIGN OBJECT. WASH

WITH PLENTY OF WATER FOR AT LEAST 10 MINUTES. IF ANY SYMPTOMS ARE

PRESENT AFTER WASHING, GET MEDICAL ATTENTION.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:RECOVER SPILLED MATERIAL AND PLACE IN A PROPER

CONTAINER FOR REUSE OR DISPOSAL.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE. ROTATE STOCK.

Other Precautions:FOR INDUSTRIAL USE ONLY. DO NOT BREATHE DECOMPOSITION PRODUCTS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED. SELF-CONTAINED BREATHING APPARATUS REQUIRED IF EXPOSURE TO DECOMPOSITION PRODUCTS IS LIKELY.

Ventilation:GENE

RAL DILUTION VENTILATION--9000 CFM DILUTION AIR.

Protective Gloves:IMPERVIOUS GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE WASH AND SAFETY SHOWERS SHOULD BE NEARBY.

Supplemental Safety and Health

===== Stability and Reactivity Data =====

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, HYDROCARBONS AND SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:WASTE MATERIAL CAN BE DISPOSED OF IN AN APPROVED LANDFILL OR MAY BE INCINERATED UNDER CONDITIONS WHICH MEET FEDERAL, STATE & LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.