View NSN Online: https://aerobasegroup.com/nsn/8030-00-796-3338 N/P -- VERSAMID 115 -- 8030-00-796-3338 Product ID: VERSAMID 115 MSDS Date:01/01/1987 FSC:8030 NIIN:00-796-3338 MSDS Number: BLJKH === Responsible Party === CAGE:73168 === Contractor Identification === Company Name: FENWAY SAFETY SYSTEMS INC Address:700 NICKERSON RD Box:City:MARLBOROUGH State:MA ZIP:01752 Country:US CAGE:73168 ======= Composition/Information on Ingredients ======== Ingred Name: POLYAMIDE RESIN CAS:6841 0-23-1 Fraction by Wt: 100% Other REC Limits: NONE SPECIFIED LD50 LC50 Mixture:EST LD50 ORAL TOXICITY >8G/KG-RAT;SLIGHT Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic: SKIN/EYE: CAUSES SEVERE IRRIT/BURNS. MAY CAUSE PERMANENT VISUAL IMPAIRMENT. NOT CONSIDERED TOXIC BY SKIN ABSORPTION, PROLONGED EXPOSURE MAY CAUSE ABSORPTION OF HARMFUL AMOUNTS. INHALATION: MAY CAUSE IRRIT--UPPER RESPIRATORY TRACT. AVOID PROLONGED OR REPEATED INHALATION. INGESTION: MAY BE HARMFUL IF LRG AMT SWALLOWED. Effects of Overexposure: EYE IRRITATION: RESULTS: 68.8; TYPE: 0-110 RANGE; ANIMAL SPECIES: RABBIT; HAZARD RANK: SEVERE. IRRITATION: RESULTS: 3.4; TYPE: 0-9 RANGE; ANIMAL SPECIES: RABBIT; HAZARD RANK: MODERATE. Medical Cond Aggravated by Exposure: POLYETHYLENE AMINES ARE SUSPECTED MUTAGENS. 

MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. CALL DOCTOR. INHALATION: MOVE TO FRESH AIR. IF SYMPTOMS PERSIST, CONSULT A DOCTOR. INGEST ION: DO NOT INDUCE VOMITING. GIVE A LARGE QUANTITY OF MILK OR WATER. DO NOT GIVE FLUIDS TO AN UNCONSCIOUS PERSON. CALL DOCTOR. Flash Point:>560F,>293C; COC ======= Accidental Rele ase Measures ========= Spill Release Procedures: USING RECOMMENDED PROTECTIVE EQUIPMENT, ADD DRY MATERIAL TO ABSORB SPILL (IF LARGE SPILL, FIRST DIKE TO CONTAIN). PICK UP AND CONTAINERIZE. FLUSH AREA WITH DILUTE (5%) ACETIC ACID. COLLECT RINSE WATER FOR SEWER OR DISPOSAL. ============ Handling and Storage =========================== Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. STORE IN A DRY LOCATION. ====== Exposure Controls/Personal Protection ======= Respiratory Protection: WITHOUT LOCAL EXHAUST USE RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE. Ventilation:LOCAL Protective Gloves: RUBBER OR PLASTIC GLOVES Eye Protection: CHEMICAL GOGGLES Supplemental Safety and Health

First Aid:SKIN/EYE: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15

Waste Disposal Methods: THIS PRODUCT, IF DISPOSED AS S

HIPPED, IS NOT A
HAZARDOUS WASTE AS SPECIFIED IN 40 CFR 261. CONSULT STATE OR LOCAL
OFFICIALS FOR PROPER DISPOSAL METHOD.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.