View NSN Online: https://aerobasegroup.com/nsn/8040-01-034-0401

ITW DEVCON CORPORATION -- 5 MINUTE EPOXY RESIN -- 8040-01-034-0401

Product ID:5 MINUTE EPOXY RESIN

MSDS Date:12/14/1989

FSC:8040

NIIN:01-034-0401

Kit Part:Y

MSDS Number: BLJLZ === Responsible Party ===

Company Name: ITW DEVCON CORPORATION

Address:30 ENDICOTT ST

City:DANVERS

State:MA ZIP:01923 Country:US

Info Phone Num:508-777-1100

Emergency Phone Num:508-777-1100

CAGE:16509

=== Contractor Identification === Company Name: DEVCON CORP

Address:30 ENDICOTT ST

Box:City:DANVERS

State:MA

ZIP:01923-3753

Country:US

Phone:1-508-777-1100

CAGE:16059

Company Name: ITW DEVCON CORPORATIO

Address:30 ENDICOTT ST

City: DANVERS

State:MA ZIP:01923 Country:US

Phone:508-777-1100

CAGE:16509

======= Composition/Information on Ingredients ========

Ingred Name:BISPHENOL A DIGLYCIDYL ETHER RESIN (POTENTIAL SKIN

SENSITIZER) CAS:25068-38-6 RTECS #:KD4380000

Fraction

by Wt: > 60% Other REC Limits:NONE SPECIFIED	
Ingred Name:VOC:0 LBS/GAL (EPA REFERENCE METHOD 24) RTECS #:9999999VO Other REC Limits:NONE SPECIFIED	
======================================	
LD50 LC50 Mixture:ORAL LD50 (RAT):11,400 MG/KG * Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SENSITIZATION, WITH ITCHING, SWELLING, OR RASHES ON LATER EXPOSURE. *DERMAL LD50 (RABBIT) : >20,000 MG/KG. INHALATION LC50 (RAT): NO DEATHS IN SATURAT ED AIR; EXPOSURE TIME 8 HOURS. Effects of Overexposure:EYES:MILD IRRITATION. SKIN:MILD IRRITATION. INHALATION:NO DATA. THE LOW VAPOR PRESSURE OF THE RESIN MAKES INHALATION UNLIKELY IN NORMAL USE. INGESTION:ACUTE ORAL TOXICITY IS LOW. MAY CAUSE GASTRIC DIS TRESS. Medical Cond Aggravated by Exposure:ALLERGIES, ECZEMA, OR OTHER SKIN DISORDERS.	
======================================	
Firs t Aid:EYES:FLUSH W/CLEAN WATER FOR 15 MIN WHILE GENTLY HOLDING EYELIDS OPEN.GET IMMED MED ATTN.SKIN:WASH THOROUGHLY W/SOAP & WAF WATER.CONSULT A PHYSICIAN IF IRRIT DEVELOPS.INHALATION:REMOVE PATIENT TO FRE SH AIR.GIVE OXYGEN IF BREATHING IS DIFFICULT.GET MED ATTN IF SYMPTOMS PERSIST.INGESTION:DO NOT INDUCE VOMITING.GIVE TWO GLASSES OF WATER TO DILUTE(UNLESS PATIENT IS UNCONSCIOUS).GET	₹Ν

MEDICAL ATTN.

ash Point Method:PMCC

FΙ

Flash Point: