Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Info Phone Num:502-737-6758

Emergency Phone Num:5

02-737-6757

Preparer's Name: MORTON FIELD

CAGE:66172

=== Contractor Identification ===

Company Name: INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

======= Composition/Information on Ingredients ========

Ingred Name:POLYDIMETHYLSILOXANE

CAS:9016-00-6

RTECS #:TQ2690000

Other REC Limits: NONE SPECIFIED

======== Hazards Identification ===========

Routes of Entry: Inhalati

on:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYES:MAY CAUSE TEMPORARY DISCOMFORT SIMILAR TO WIND BURN.SKIN:NON-IRRITATING.INHALATION:NOT LIKELY TO INHALE.ORAL:VERY LOW TOXICITY.CHRONIC-UNKNOWN. Effects of Overexposure:EYE DISCOMFORT/WIND BURNS Medical Cond Aggravated by Exposure:NONE KNOWN.
======================================
First Aid:SEEK MEDICAL CARE IF NECESSARY.INHALATION:REMOVE TO FRESH AIR.EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP AND WATER. INGESTION:INDUCE VOMITING.
======================================
Flash Point Method:TCC Flash Point:570F,299C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EX POSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures:USE ABSORBENT MATERIAL (VERMICULITE) TO COLLECT FOR SALVAGE OR PROPER DISPOSAL. Neutralizing Agent:NOT APPLICABLE.
=========== Handling and Storage =============
Handling and Storage Precautions:STORAGE-KEEP CONTAINERS TIGHTLY CLOSED IN A COOL, DRY PLACE AWAY FROM HEAT AND MOISTURE. Other Precautions:DO NOT TAKE INTERNALLY. AVOID DIRECT OR PROLONGED CONTACT WITH EYES AND SKIN. AVOID BREATHING ANY VAPORS. STORE AT AMBIENT TEMPERATURES (5 TO 25 DEGREES C). WASH HANDS THOROUGHLY AFTER HANDLING. DO NO T DRINK, EAT OR SMOKE IN WORK ROOM.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED.

Respiratory Protection:NONE NORMALLY REQUIRED.
Ventilation:LOCAL EXHAUST FANS
Protective Gloves:RUBBER/PLASTIC
Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS
Othe

r Protective Equipment:EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

FORMULA CHANGED. FOR OLD FORMULATION, SEE P/N A SAME NSN.

======== Physical/Chemical Properties ===========

HCC:V6

Melt/Freeze Pt:M.P/F.P Text:-65F,-54C

Vapor Pres:0.01 Spec Gravity:0.96 Solubility in

Water: INSOLUBLE

Appearance and Odor: CLEAR, COLORLESS PASTE-LIKE POLYMER

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
MINERAL ACIDS, STRONG BASE
Stability Condition to Avoid:FLAMES AND HIGH HEAT
Hazardous Decomposition Products:OXIDES OF CARBON AND SILICA MAY BE
EMITTED ON COMBUSTION.

======= Disposal Considerations ==========

Waste Disposal Methods:DISPOSAL MUST BE DONE IN ACCORDANCE WITH FEDER

AL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of th is information to their particular situation.