

N/P -- SEALING COMPOUND, GASKET -- 8030-00-656-1426

Product ID:SEALING COMPOUND, GASKET

MSDS Date:01/01/1987

FSC:8030

NIIN:00-656-1426

MSDS Number: BLJWG

=== Responsible Party ===

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 20.9%

Other REC Limits:NONE SPECIFIED

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:CASTOR OIL

CAS:68187-84-8

Fraction by Wt: 36.0%

Other REC Limits:NONE SPECIFIED

Ingred Name:ROSIN DER

CAS:8050-09-7

Fraction by Wt: 22.0%

Other REC Limits:NONE SPECIFIED

Ingred Name:SILICA

CAS:112945-52-5

RTECS #:VV7310000

Fraction by Wt: 15.0%

Other REC Limits:NONE SPECIFIED

Ingred Na

me:LECITHIN  
CAS:8002-43-5  
Fraction by Wt: 1.0%  
Other REC Limits:NONE SPECIFIED

Ingred Name:VOC: 250  
RTECS #:9999999VO  
Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Effects of Overexposure:EYES: SEVERE IRRIT, REDNESS, TEARING, BLURRED  
VISION. SKIN: PROLONGED/REPEATED--IRRIT, DEFATTING, DERMATITIS.  
INHALATION: (VAPORS) NASAL & RESP IRRIT, DIZZINESS, WEAKNESS,  
FATIGUE, NAUS  
EA, HEADACHE, U NCONSCIOUSNESS & ASPHYXIATION.  
INGESTION: CAN CAUSE GASTROINTESTINAL IRRIT, NAUSEA, VOMITING &  
DIARRHEA.  
Medical Cond Aggravated by Exposure:IPA OR ITS COMPONENTS HAS  
APPARENTLY BEEN FOUND TO CAUSE THE FOLLOWING EFFECTS IN LAB  
ANIMALS: LIVER ABNORMALITES, KIDNEY DAMAGE. OVER EXPOSURE IN  
HUMANS: KIDNEY DAMAGE.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH W/LRG AMTS--WATER, LIFTING UPPER & LOWER LIDS  
OCCASIONAL  
LY, GET MED AID. SKIN: THOROUGHLY WASH W/SOAP & WATER.  
INHALATION: REMOVE TO FRESH AIR. DIFFICULT BREATHING, GIVE OXYGEN.  
NO BREATH, GIVE ARTIF RESPIRATION. KEEP WARM, QUIET. GET MED AID.  
INGESTION: IMMED DRINK 2 GLASSES--WATER. INDUCE VOMIT  
(IPECAC/FINGER AT BACK THROAT). NEVER GIVE ANYTHING BY MOUTH TO  
UNCONSCIOUS. GET MED AID.

=====  
===== Fire Fighting Measures =====

Autoignition Temp:Autoignition Temp Text:750 F

=====  
===== Accidenta

I Release Measures =====

Spill Release Procedures:LARGE SPILLS: CALL EPA. KEEP AWAY FROM OPEN FLAMES. SMALL SPILLS: KEEP AWAY FROM OPEN FLAMES. REPORTABLE QUANTITY: NONE KNOWN.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT AND OPEN FLAMES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR PACK OR ORGANIC CANNISTER.

Ventilation:LOCAL EXHAUST.

Protectiv

e Gloves:SOLVENT-RESISTANT RUBBER.

Eye Protection:CHEMICAL GOGGLES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Viscosity:30-680 POISES

===== Stability and Reactivity Data =====

Hazardous Decomposition Products:MAY GENERATE CARBON MONOXIDE WHEN BURNED.

Conditions to Avoid Polymerization:OPEN FLAME, AND HEAT.

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability

lity of this information to their particular situation.