

BAKER SEALANTS AND COATINGS CO -- THERMOPLASTIC COMPOUND X-652 -- 8030-00-935-1083
===== Product Identification =====

Product ID:THERMOPLASTIC COMPOUND X-652
MSDS Date:06/20/1988
FSC:8030
NIIN:00-935-1083
MSDS Number: BLJXW
=== Responsible Party ===
Company Name:BAKER SEALANTS AND COATINGS CO
Address:234 SUYDAM AVE
Box:B
City:JERSEY CITY
State:NJ
ZIP:07304
Country:US
Info Phone Num:201-333-6986
E
mergency Phone Num:201-333-6986/800-424-9300 CHEMTREC
Preparer's Name:CHARLES FRIEDMAN
CAGE:34094
=== Contractor Identification ===
Company Name:BAKER SEALANTS AND COATINGS CO
Address:234 SUYDAM AVE
Box:City:JERSEY CITY
State:NJ
ZIP:07304-3306
Country:US
Phone:201-333-6986
CAGE:34094
Company Name:STEVEN INDUSTRIES
Address:39 AVENUE C
Box:8
City:BAYONNE
State:NJ
ZIP:07002-3417
Country:US
Phone:201-437-6501
CAGE:33150

===== Composition/Information on Ingredients =====

Ingred Na

me:NONHAZARDOUS INGREDIENTS
Other REC Limits:NONE SPECIFIED

===== First Aid Measures =====

First Aid:IF BURNED, CHILL FIRST. REMOVE WITH MINERAL OIL. NEVER USE SOLVENTS WHICH MAY BE INJURIOUS TO THE SKIN. FOLLOW STANDARD TREATMENT APPLICATION AND SEE YOUR PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:500F,260C
Extinguishing Media:EXTINGUISH WITH DRY CHEMICAL OR CARBON DIOXIDE.

===== Accidental Release Measures =====

Spill Release Procedures:IF SPILLED OR LEAKED, ALLOW TO COOL AND SCRAPE WITH AN ICE SCRAPER. WASH AREA WITH HYDROCARBON SOLVENT

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NECESSARY.
Ventilation:LOCAL EXHAUST RECOMMENDED.
Protective Gloves:WEAR PROTECTIVE GLOVES TO PREVENT BURNS.
Eye Protection:WEAR SAFETY GLASSES TO PREVENT BURNS.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:650F,343C
Vapor Pres:1
Vapor Density:0.01
Spec Gravity:APPROX 1.0
Evaporation Rate & Reference:0.01 (TOLUOL)
Solubility in Water:0.1%
Appearance and Odor:BLACK IN COLOR; NO ODOR.
Percent Volatiles by Volume:0.1

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE OF "AS PER FEDERAL, STATE & LOCAL REGULATIONS."

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.