

EXXON CHEMICAL CO USA SALES OFFICE -- CUTTING FLUID -- 9150-00-252-6373

=====
Product Identification
=====

Product ID:CUTTING FLUID

MSDS Date:10/17/1986

FSC:9150

NIIN:00-252-6373

MSDS Number: BLMTB

=== Responsible Party ===

Company Name:EXXON CHEMICAL CO USA SALES OFFICE

Address:1333 W LOOP S

City:HOUSTON

State:TX

ZIP:77001

Country:US

Emergency Phone Num:713-656-3424

CAGE:4H542

=== Contractor Ide

ntification ===

Company Name:EXXON CHEMICAL CO USA SALES OFFICE

Address:1333 W LOOP S

Box:3272

City:HOUSTON

State:TX

ZIP:77253

Country:US

Phone:281-870-6000/6884

CAGE:4H542

Company Name:SANLO PRODUCTS CO

Address:100 ,MANHATTAN AVE SUITE 103

City:UNION CITY

State:NJ

ZIP:07087

Country:US

Phone:201-348-1684/800-424-9300(CHEMTREC)

CAGE:0K5U0

=====
Composition/Information on Ingredients
=====

Ingred Name:SOLVENT REFINED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM

CAS:64741-96-4

RTECS #

:PY8040000
Fraction by Wt: >90%
Other REC Limits:NONE SPECIFIED

Ingred Name:ADDITIVES
Fraction by Wt: 500F
Lower Limits:0.9
Upper Limits:7

Extinguishing Media:FOAM, WATER SPRAY (FOG), DRY CHEMICAL, CARBON DIOXIDE AND VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS.
Fire Fighting Procedures:USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL. IF A LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE THE VAPORS. USE AIR-SUPPLIED RESPIRATORS.
Unusual Fire/Explosion Hazard:HAZARDOUS DECOMPOSITION PRODUCTS MAY BE PRESENT UNDER FIRE CONDITIONS.

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER FREE PRODUCT. ADD SAND, EARTH, OR OTHER SUITABLE ABSORBENT TO SPILL AREA. MINIMIZE SKIN CONTACT. KEEP PRODUCT OUT OF SEWERS AND WATERWAYS BY DIKING OR IMPOUNDING. ADVISE AUTHORITIES IF PRODUCT HAS ENTERED OR MAY ENTER SEWERS, WATERCOURSES.
Neutralizing Agent:NONE

===== Handling and Storage =====
=====

Handling and Storage Precautions:KEEP CONTAINERS AND STORAGE CONTAINERS CLOSED WHEN NOT IN USE. DO NOT STORE NEAR HEAT, SPARKS, FLAME OR STRONG OXIDANTS.
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SUPPLIED-AIR RESPIRATORY PROTECTION IN CONFINED OR ENCLOSED SPACES, IF NEEDED.
Ventilation:USE LOCAL EXHAUST TO CAPTURE VAPOR, MISTS OR FUMES, IF NECESSARY.
Protective Gloves:USE CHEMICAL-RESISTANT

GLOVES

Eye Protection:USE SPLASH GOGGLES OR FACE SHIELD.

Other Protective Equipment:USE CHEMICAL-RESISTANT APRON OR OTHER IMPERVIOUS CLOTHING.

Work Hygienic Practices:CLEANSE SKIN THOROUGHLY AFTER CONTACT, BEFORE BREAKS AND MEALS, AND AT END OF WORK PERIOD.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:480F,249C

Vapor Pres:5

Spec Gravity:0.89

Viscosity:207 SSU

Evaporation Rate & Reference: