Product ID:RUST STOP MSDS Date:07/31/1987

FSC:6850

NIIN:01-298-0518

MSDS Number: BLMXL === Responsible Party ===

Company Name: CHEMENTERPRISES INC

Address:522 NORTH MARION ST

City:OAK PARK

State:IL ZIP:60302 Country:US

Info Phone Num:513-244-2346

Emergency Phone Num:800-424-9300(CHEMTREC)

CAGE:NO379 === Contrac

tor Identification ===

Company Name: CHEMENTERPRISES INC

Address:522 NORTH MARION ST

Box:City:OAK PARK

State:IL ZIP:60302 Country:US

Phone:513-244-2346

CAGE:NO379

Company Name: INTECH TECHNOLOGY CORP

Address:2001 W 16TH ST

Box:6129

City:BROADVIEW

State:IL

ZIP:60153-3851 Country:US

Phone:708-681-6110

CAGE:31473

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM NITRITE (SARA III)

CAS:7632-00-0

RTECS #:RA1225000

Other REC Limits: NONE SPECIFIED

EPA Rpt Qty:100

LBS DOT Rpt Qty:100 LBS Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Other REC Limits: NONE SPECIFIED ========== Hazards Identification =============== Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: NONE SPECIFIED BY MANUFACTURER. Explanation of Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure: MAY I NCREASE BLOOD PRESSURE IF INGESTED. Medical Cond Aggravated by Exposure: NONE KNOWN.

First Aid: IF INGESTED CALL A PHYSICIAN.

Spill Release Procedures: IN THE EVENT OF SPILL OR RELEASE, FLUSH DOWN SUITABLE SEWER.

============= Handling and Storage ==========================

Handling and Storage Precautions: EMPLOY USUAL CARE AS FOR ALL **CHEMICALS**

. STORAGE ABOVE 32F IS RECOMMENDED ALTHOUGH PRODUCT IS FREEZE/THAW STABLE.

Other Precautions:NONE

====== Exposure Controls/Personal Protection ========

Respiratory Protection: RESPIRATORY PROTECTION IS NOT NEEDED.

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:WATERPROOF GLOVES.

Eye Protection: CHEMICAL SPLASH GOGGLES.

Other Protective Equipment: SAFETY SHOWER AND EYE BATH. INDUSTRIAL TYPE WORK CLOTHING AND APRON AS REQUIRED TO AVOID PROLONGED OR REPEATED

CONTACT. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health THIS PRODUCT IS DESIGNED FOR USE SOLELY BY SKILLED PROFESSIONALS WHO ARE SPECIFICALLY TRAINED IN ITS PROPER HANDLING AND USE.
========= Physical/Chemical Properties ==========
HCC:B3 Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.021 pH:8.7 Solubility in Water:COMPLETE Appearance and Odor:BLUE, FREE F

Percent Volatiles by Volume:96

(ESTER) ODOR.

LOWING LIQUID WITH A SLIGHT FRUIT-LIKE

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES
AMINES OF ANY KIND.

Stability Condition to Avoid:FOR USE IN EDM APPLICATIONS AS THE SOLE ADDITIVE TO DEIONIZED WATER DIELECTRIC FLUIDS.

Hazardous Decomposition Products: MAY RELEASE OXIDES OF NITROGEN IN CONTACT WITH ACIDS.

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional

advice to verify and assume responsibility for the suitability of this information to their particular situation.