

JET-LUBE INC -- LEAD-FREE ANTI-SEIZE LUBRICANT -- 8030-00-251-3980

=====
Product Identification
=====

Product ID:LEAD-FREE ANTI-SEIZE LUBRICANT

MSDS Date:01/07/1992

FSC:8030

NIIN:00-251-3980

MSDS Number: BLNBN

=== Responsible Party ===

Company Name:JET-LUBE INC

Address:4849 HOMESTEAD ROAD

Box:21258

City:HOUSTON

State:TX

ZIP:77226

Country:US

Info Phone Num:713-674-7617/713-370-6206(AFTER HR)

Emerg

ency Phone Num:713-674-7617

Preparer's Name:D. A. OLDIGES

CAGE:0A307

=== Contractor Identification ===

Company Name:JET-LUBE INC

Address:4849 HOMESTEAD RD

Box:21258

City:HOUSTON

State:TX

ZIP:77026

Country:US

CAGE:0A307

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM OIL

CAS:64741-96-4

RTECS #:PY8040000

Fraction by Wt: 70%

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 OIL MIST

Ingred Name:COPPER POWDER

CAS:7440-50-8

RTECS #:GL5325000

Fraction by Wt

: 10%M
Other REC Limits:NONE SPECIFIED
ACGIH TLV:1 MG/M3 FUME
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:REDNESS AND IRRITATION OF SKIN. REPEATED SKIN
CONTACT FOR PERSONS HYPERSENSITIVE TO PETROLEUM PRODUCTS CAN CAUSE
REDNESS AND IRRITATION OF SKIN.

=====
First Aid Measu
res
=====

First Aid:INHALATION: CLEAR AIR PASSAGE, CALL PHYSICIAN. INGESTION: IF
INGESTED, CALL PHYSICIAN. EYES: WASH WITH COPIOUS QUANTITIES OF
WATER. SKIN: REMOVE BY WIPING, OR WATERLESS HAND CLEANER, FOLLOWED
BY WASHI NG.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:430F,221C
Autoignition Temp:Autoignition Temp Text:>500F
Extinguishing Media:USE FOAM/DRY CHEMICAL, WATER SPRAY (FOG), CARBON
DIOXIDE
OR VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS.
Fire Fighting Procedures:USE SUPPLIED-AIR BREATHING EQUIPMENT FOR
ENCLOSED OR CONFINED SPACES.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:SCOOP UP EXCESS, WIPE UP WITH RAGS, PICK-UP
RESIDUE WITH DIATOMACEOUS EARTH TO AVOID WALKING HAZARD.

=====
Handling and Storage
=====

Handling and Storage Precautions:NORMAL PRECAUT

IONS AS WITH ANY
PETROLEUM PRODUCTS..

===== Exposure Controls/Personal Protection =====

Other Protective Equipment: PERSONS WITH HYPERSENSITIVE SKIN SHOULD USE
GLOVES.

Work Hygienic Practices: WASH HANDS BEFORE EATING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt: B.P. Text: 624F, 329C

Vapor Pres: 5

Spec Gravity: 1.20

Evaporation Rate & Reference: