View NSN Online: https://aerobasegroup.com/nsn/6750-00-837-7257

EASTMAN KODAK COMPANY -- 140 8988, HC-110 DEVELOPER (WORKING SOLN) ( - 6750-00-837-7257

Product ID:140 8988, HC-110 DEVELOPER (WORKING SOLN) ( MSDS Date:04/08/1991 FSC:6750 NIIN:00-837-7257 MSDS Number: BLNGB === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US Info Phone Num:716-722-5151 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 90-95% Other REC Limits:NONE **OSHA PEL:NONE** ACGIH TLV:NONE

Ingred Name:HYDROQUINONE (SARA III) CAS:1 23-31-9 RTECS #:MX3500000 Fraction by Wt: < 1% OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:DIETHYLENE GLYCOL CAS:111-46-6 RTECS #:ID5950000 Fraction by Wt: < 1% Other REC Limits:NONE SPECIFIED

Ingred Name:ETHANOLAMINE CAS:141-43-5 RTECS #:KJ5775000 Fraction by Wt: < 1% OSHA PEL:3 PPM/6 STEL ACGIH TLV:3 PPM/6 STEL; 9192

========

Ingred Name:DIETHANOLAMINE-SULFUR DIOXIDE COMPLEX CAS:63149-47-3 Fraction by Wt: 1-5% Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION OR INGESTION: LOW HAZARD FOR RECOMMENDED HANDLING. MAY CAUSE IRRITATION ON EYE CONTACT. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. Effects of Overexposure:IRRITATION. Medical Cond Aggravated by Exposure:NONE STATED.

First Aid:INHALE: IF SYMPTOMATIC, REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST; EYES: FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IF IRRITATION OCCURS; SK IN: FLUSH SKIN WITH PLENTY OF WATER & WASH WITH A NON-ALKALINE(ACID) TYPE OF CLEANER. GET MEDICAL ATTENTION IF SKIN IRRITATION OR ALLERGIC SKIN REACTION OCCURS.

=================== Fire Fighting Measures

Spill Release Procedures:FLUSH MATERIAL TO ACID-FREE SEWER WITH LARGE AMOUNTS OF WATER. DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE, OR LOCAL LAWS. Neutralizing Agen t:NONE STATED.

Handling and Storage Precautions:NONE. Other Precautions:NONE

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: USUALLY NONE IN NORMAL CONDITIONS. Ventilation: GOOD VENTILATION SHOULD BE SUFFICIENT. SUPPLEMENTARY VENTILATION MAY BE NEEDED IN SPECIAL CIRCUMSTANCES. Protective Gloves: RECOMMENDED. Eye Protection: SAFETY GLASSES. Other Protective Equipment: NONE STATED. Wo rk Hygienic Practices: THE ROUTINE USE OF A NON-ALKALINE TYPE OF HAND CLEANER WILL HELP MINIMIZE THE POSSIBILITY OF ALLERGIC SKIN REACTION. Supplemental Safety and Health THIS PRODUCT HAS A KODAK SINGLE-PART SOLUTION NUMBER 4987.

HCC:N1 Boiling Pt:B.P. Text:>212F/100C Vapor Pres:18 Vapor Density:0.6 Spec Gravity:1.02 pH:9.0 Evaporation Rate & amp; Reference:0.4 (BUTYL ACETATE = 1) Solubility in Water:COMPLETE Appearance and Odor:CLEAR SOLUTION, SLIGHT AMINE ODOR. Percent Volatiles by Volume:94

Stability Indicator/Materials to Avoid:YES NONE WITH COMMON MATERIALS AND CONTANINANTS WITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT. Stability Condition to Avoid:NONE STATED. Hazardous Decomposition Products:NONE

Waste Disposal Methods:FOLLOW ALL APPLICABLE FEDERAL, S TATE, AND LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information t o their

particular situation.