View NSN Online: https://aerobasegroup.com/nsn/8010-01-055-2319

PRATT & LAMBERT INC., INDUSTRIAL COATINGS DIV. -- COATING, POLYURETHANE, COMPONENT B, ID75420 -- 8010-01-055-2319

============= Product Identification ===============

Product ID:COATING, POLYURETHANE, COMPONENT B, ID75420

MSDS Date:03/12/1991

FSC:8010

NIIN:01-055-2319

Kit Part:Y

MSDS Number: BLNHX === Responsible Party ===

Company Name: PRATT & LAMBERT INC., INDUSTRIAL COATINGS DIV.

Box:2153 City:WICHITA State:KS

Ζ

IP:67201 Country:US

Info Phone Num:316-733-1361

Emergency Phone Num:716-873-6000/DOT:800-255-3924

CAGE:PRATT

=== Contractor Identification ===

Company Name: PRATT & LAMBERT

Address:250 PETTIT AVE

Box:2153

City:BELLMORE

State:NY ZIP:11710 Country:US

Phone:800-647-2253

CAGE:PRATT

Company Name: PRATT AND LAMBERT INC

Address:Box:6027 City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

======= Composition/Information on Ingredients ========

Ingred Name: N-BUTYL

ACETATE (SARA III) CAS:123-86-4 RTECS #:AF7350000 Fraction by Wt: 25% Other REC Limits:NONE SPECIFIED OSHA PEL:150 PPM/200 STEL ACGIH TLV:150 PPM/200STEL;9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS
Ingred Name:1,6-DIISOCYANATOHEXANE (HEXAMETHYLENE DIISOCYANATE) CAS:822-06-0 RTECS #:MO1740000 Fraction by Wt: AIR Spec Gravity:1.1 pH:4-7STD Viscosity:>200 CST Evaporation Rate & DIISOCYANATE (HEXAMETHYLENE DIISOCYANATE) CAS:822-06-0 RTECS #:MO1740000 Fraction by Wt: AIR Spec Gravity:1.1 pH:4-TSTD Viscosity:>200 CST Evaporation Rate & DIISOCYANATE Solubility in Water:SLIGHT IN WATER
Appearance and Odor:LIQUID, SOLVENT ODO R
Percent Volatiles by Volume:30
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ACIDS, OR ALKALINE MATERIALS. OXIDIZING MATERIALS. Stability Condition to Avoid:EXCESSIVE HEAT (>100 F (38C) AND SOURCES OF IGNITION. Hazardous Decomposition
Products:BURNING/CUTTING/WELDINGSMOKE/CO/CO2/OXIDES OF NITROGEN. ISOCYANATES WITH WTRHYDROGEN GAS FLAM/EXPLOS W/AIR.
======== Disposal Considerations ====================================
Waste Disposal Methods:INCINERATE ONLY IN EPA PERMITTED FACILITY. DO NOT INCINERATE CLOSED CNTNRS. OBSERVE PRECAUTIONS FOR DISPOSAL OF FLAMMABLE MAT'L. CONTAMINATED ABSORBANT DISPOSED OF IN HAZARDOUS WASTE LANDFILL. IN ACCO RDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no mann

er whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.