

CVC PRODUCTS INC -- CELVACENE VACUUM GREASE -- 9150-01-137-4657

=====  
Product Identification  
=====

Product ID:CELVACENE VACUUM GREASE

MSDS Date:10/01/1989

FSC:9150

NIIN:01-137-4657

MSDS Number: BLRRD

=== Responsible Party ===

Company Name:CVC PRODUCTS INC

Address:525 LEE RD

Box:1886

City:ROCHESTER

State:NY

ZIP:14603

Country:US

Info Phone Num:716-458-2550 (72)/FAX -0424 MARY

Emergency Phone Num:71

6-458-2550/CHEMTREC 800-424-9300

CAGE:98079

=== Contractor Identification ===

Company Name:CVC PRODUCTS INC

Address:525 LEE RD

Box:1886

City:ROCHESTER

State:NY

ZIP:14603

Country:US

Phone:716-458-2550

CAGE:98079

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CELLULOSE ACETATE/CELLULOSE ACETATE BUTYRATE

CAS:9004-35-7

Fraction by Wt: 5 - 30%

Other REC Limits:NONE SPECIFIED

Ingred Name:CASTOR OIL

CAS:68187-84-8

Fraction by Wt: 70 - 95%

Other REC Limits:NONE SPECI

FIED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE OR CHRONIC- NO SPECIFIC HAZARD  
KNOWN TO CVC PRODUCTS, INC.  
Effects of Overexposure:MAY CAUSE EYE IRRITATION.  
Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS MAY BE  
AGGRAVATED BY EXPOSURE TO THIS PRODUCT

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF NEEDED. INHALATION: REMOVE TO FRESH  
AIR. INGESTION: UNKNOWN. TOXICITY DATA ON HAND FOR COMPONENTS SHOW  
MATERIAL IS PRACTICALLY NONTOXIC. EYE: FLUSH WITH WATER FOR 15  
MINUTES WHILE HOLDING EYELIDS OPEN. SKIN: WASH THOROUGHLY WITH  
DETERGENT AND WATER.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:APPROX. 3000  
Exting  
uishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL  
OR FIRE BLANKET  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:NONE KNOWN

=====  
===== Accidental Release Measures =====

Spill Release Procedures:COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.  
FLUSH AREA WITH DETERGENT AND WATER.

=====

== Handling and Storage =====

Handling and Storage Precautions:STORAGE-STORE IN A COOL, DRY PLACE, AWAY FROM OPEN FLAMES & HIGH TEMPERATURES. KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES ,INCLUDING SHOES,THAT CANNOT BE CLEANED.

===== Exposur  
e Controls/Personal Protection =====

Respiratory Protection:NOT ORDINARY REQUIRED. USE A NIOSH-APPROVED RESPIRATOR IF MATERIAL IS EXPOSED TO HIGH TEMPERATURES.

Ventilation:WORK IN A WELL VENTILATED AREA.

Protective Gloves:OIL RESISTANT

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Melt/Freeze Pt:M.P/F.P Text:90C TO 130C

Vapor Pres: