View NSN Online: https://aerobasegroup.com/nsn/6810-00-262-8567

TIMMONS AND CHARLES INC -- SODIUM CARBONATE, ANHYDROUS -- 6810-00-262-8567

Product ID:SODIUM CARBONATE, ANHYDROUS MSDS Date:01/01/1987 FSC:6810 NIIN:00-262-8567 **MSDS Number: BLSRL** === Responsible Party === Company Name: TIMMONS AND CHARLES INC Address:991 E LINDEN AVE Box:507 **City:LINDEN** State:NJ ZIP:07036-2416 Country:US Emergency Phone Num:201-862-9100/FAX 201-86 2-1680 CAGE:5G937 === Contractor Identification === Company Name: TIMMONS AND CHARLES INC Address:991 E LINDEN AVE Box:1175 City:LINDEN State:NJ ZIP:07036-2416 Country:US Phone:908-862-9100/FAX908-862-1680 CAGE:5G937 Ingred Name:SODIUM CARBONATE CAS:479-19-8 Fraction by Wt: 99.8% Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 5,000 MG/

KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYES/SKIN:MAY CAUSE IRRITATION.INHALATION:BREATHING OF DUST MAY CAUSE DISCOMFORT OR IRRITATION TO NASAL AND RESPIRATORY PASSAGES.INGESTION:NO SIGNIFICANT HEALTH HAZARD.CHRONIC-NONE KNOWN. Effects of Overexposure: MAY CAUSE EYES AND SKIN IRRITATION. BREATHING OF DUST MAY CAUSE DISCOMFORT OR IRRITATION TO NASAL AND RESPIRATORY PAS SAGES. Medical Cond Aggravated by Exposure:NOT KNOWN. First Aid:INHALATION: REMOVE TO FRESH AIR. EYES:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INGESTION: IF CONSCIOUS, DRINK TWO GLASSE S OF WATER TO DILUTE. GET MEDICAL ATTENTION. Extinguishing Media:MEDIA APPROPRIAT E FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:NONE Spill Release Procedures: SWEEP UP MATERIAL FOR DISPOSAL OR RECOVERY. THOROUGHLY SWEEP OR WASH AREA OF SPILL TO CLEAN UP ANY RESIDUAL MATERIAL. Neutralizing Agent:NOT APPLICABLE. =========== Handling and Storage Precautions: STORAGE-KEEP OUT OF REACH OF CHILDREN.KEEP AWAY FROM CONTACT WITH STRONG MINERAL ACIDS. Other Precautions: DO NOT RAISE DUST. KEEP CONTAINER CLOSED. AVOID CONTACT WITH EYES AND SKIN. AVOID BREATHING DUST. ======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. IF WORKPLACE EXPOSURE LIMIT IS EXCEEDED, A NIOSH/MSHA APPROVED AIR SUPPLIED

RESPIRATOR IS ADVISED. Ventilation:PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves:PLASTIC GLOVE RECOMMENDED Eye Protection:SAFETY GLASSES Other Protective Equipment:EYE WASH STATION, EMERGENCY SHOWER, NORMAL WORK CLOTHING COVERING ARMS AND LEGS Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:1564F,851C Solubility in Water:33% MAX Appearance and Odor:WHITE GRANULAR SOLID - ODORLESS

Stability Indicator/Materials to Avoid:YES ACIDS Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES Hazardous Decomposition Products:NONE

Waste Disposal Methods:DEPOSIT IN A CHEMICAL LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their par ticular situation.