

NRD INC, SUB OF MARK IV INDUSTRIES INC -- IONIZATION SEALED SOURCE -- 6350-00-937-3144

=====  
Product Identification  
=====

Product ID:IONIZATION SEALED SOURCE

MSDS Date:08/07/1986

FSC:6350

NIIN:00-937-3144

MSDS Number: BLWGM

=== Responsible Party ===

Company Name:NRD INC, SUB OF MARK IV INDUSTRIES INC

Address:2937 ALT BLVD N

City:GRAND ISLAND

State:NY

ZIP:14072-1220

Country:US

Info Phone Num:716-7

73-7634

Emergency Phone Num:716-773-7634

CAGE:5K923

=== Contractor Identification ===

Company Name:NRD INC, SUB OF MARK IV INDUSTRIES INC

Address:2937 ALT BLVD N

Box:City:GRAND ISLAND

State:NY

ZIP:14072-1220

Country:US

CAGE:5K923

Company Name:PYROTRONICS DIV OF BAKER INDUSTRIES INC

Address:918 N OAKLAWN AVE

Box:City:ELMHURST

State:IL

ZIP:60126-1015

Country:US

Phone:708-279-0133

CAGE:05351

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SILVER (SARA III)

CAS:74

40-22-4  
RTECS #:VW3500000  
Fraction by Wt: 90%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:0.01 MG/M3  
ACGIH TLV:0.1 MG/M3; 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:GOLD  
CAS:7400-57-5  
RTECS #:MD5070000  
Fraction by Wt: 5%  
Other REC Limits:NONE SPECIFIED

Ingred Name:GOLD, METALLIC COATING  
CAS:7400-57-5  
RTECS #:MD5070000  
Fraction by Wt: 5%  
Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:N  
O  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:UNDER THE MOST IMPROBABLE AND  
HYPOTHETICAL CONDITION, A PERSON LOCATED ONE METER FROM THE SOURCE  
FOR 1 YEAR, THE MAX EXPOSURE DOSE WOULD BE LESS THAN 0.5 MREM.  
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.  
Effects of Overexposure:NONE  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MA  
NUFACTURER.

=====  
===== First Aid Measures =====

First Aid:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:IF THE DEVICE, WITH RADIOACTIVE SEALED SOURCE,  
IS DAMAGED IT SHOULD BE HANDLED ACCORDING WITH THE INSTRUCTIONS  
SUPPLIED WITH THIS DEVICE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STRICTLY ADHERE TO THE MANUFACTURERS  
"IMPORTANT SAFEGU

ARDS, AND INSTRUCTION LABEL, ON THE UNIT."

Other Precautions:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.

Ventilation:GENERAL ENVIRONMENT.

Protective Gloves:NONE, UNDER NORMAL CONDITIONS.

Eye Protection:NONE.

Other Protective Equipment:NONE REQUIRED.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

THE RADIOACTIVE NUCLIDE (AM-241) IN METALLIC MATRIX, IS FORMED INTO IONIZATION FOIL. THEN

THIS FOIL IS COATED WITH GOLD, WHICH MAKES UP THE SEALED IONIZATION SOURCE, USED ON VARIOUS IONIZATION DEVICES .

=====  
===== Physical/Chemical Properties =====

HCC:A2

Spec Gravity:11

Solubility in Water:INSOLUBLE

Percent Volatiles by Volume:NONE

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

"AQUA RIGIA" AND OTHER RELATED ACIDS.

Stability Condition to Avoid:PHYSICAL ABUSE AND DISASSEMBLY OR THE THE UNIT.

Hazardous Decomposition Products:AMERICIUM DIOXIDE.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:UNDER NO CIRCUMSTANCES SHOULD THE DEVICE BE DISPOSED AT PUBLIC DISPOSAL SPOTS. IT MUST BE RETURNED TO THE MANUFACTURER OF THE SOURCE, PER INSTRUCTIONS ON THE DEVICE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States

of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.