

PHOTICA INC -- KROMICA 140K RAPID FIXER CONCENTRATE, PART -- 6750-00-965-4846

=====
Product Identification
=====

Product ID:KROMICA 140K RAPID FIXER CONCENTRATE, PART

MSDS Date:11/15/1991

FSC:6750

NIIN:00-965-4846

MSDS Number: BLWGN

=== Responsible Party ===

Company Name:PHOTICA INC

Address:491 LYONS AVE

City:IRVINGTON

State:NJ

ZIP:07111-4717

Country:US

Info Phone Num:201-926-1000 (KRONICA INC.)

Emergency Phone Num:201-926-1000 (KRONICA INC.)

CAGE:KO586

=== Contractor Identification ===

Company Name:KRONICA INC. (PURCHASED PHOTICA INC.)

Address:495 LYONS AVENUE

Box:City:IRVINGTON

State:NJ

ZIP:07111-4717

Country:US

Phone:201-926-1000 OR 201-705-9553

CAGE:0K5T6

Company Name:PHOTICA INC

Address:491 LYONS AVE

Box:City:IRVINGTON

State:NJ

ZIP:07111-4717

Country:US

Phone:201-705-9553 (KROMICA)

CAGE:KO586

Company Name:PHOTICA INC (WAS PURCHASED BY KROMICA INC.)

Address:491 LYONS AVE

Box:City:

IRVINGTON
State:NJ
ZIP:07111-4717
Country:US
Phone:201-926-1000 (KRONICA INC.)
CAGE:60349

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 40-50%
Other REC Limits:NONE SPECIFIED

Ingred Name:AMMONIUM THIOSULFATE
CAS:7783-18-8
RTECS #:XN6465000
Fraction by Wt: 40-50%
Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM METABISULFITE
CAS:7681-57-4
RTECS #:UX8225000
Fraction by Wt: 1-5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3; 9192

Ingred Name:SODIUM ACETATE
CAS:126-96-5
RTECS #:AJ4375000
Fraction by Wt: 5-10%
Other REC Limits:NONE SPECIFIED

Ingred Name:ACETIC ACID (SARA III)
CAS:64-19-7
RTECS #:AF1225000
Fraction by Wt: 1-5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM/15 STEL; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Health

h Hazards Acute and Chronic:INHALE-LOW HAZARD FOR RECOMMENDED HANDLING. INGEST-NO SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION.

Effects of Overexposure:INGEST-MAY CAUSE TRANSIENT IRRITATION. EYE-MAY CAUSE EYE IRRITATION OR BURNS. SKIN-MAY CAUSE SKIN IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHALE-LOW HAZARD FOR RECOMMENDED HANDLING. REMOVE TO FRESH AIR.

INGEST-INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. EYE-IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES, GET MEDICAL ATTENTION. SKIN-RINSE WITH WATER AFTER CONTACT.

=====
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER SPRAY; DRY CHEMICAL; CARBON DIOXIDE.

Fire Fighting Procedures:USE APPROPRIATE AGENT FOR SURROUNDING FIRE.

Unusual Fire/Explosion Hazard:

FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER WITH WATER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT WITH STRONG ALKALI.

STORE IN TIGHTLY CLOSED CONTAINER IN DRY AREA BETWEEN 50-85F.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:WEAR PROTECTIVE GLOVES.

Eye Protection:WEAR SAFETY EYEWARE.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE

=====
===== Physical/Chemical Properties =====

HCC:C3

Boiling Pt:B.P. Text:>212F,>100C

Vapor Pres:18 MMHG

V

apor Density:0.6

Spec Gravity:1.3550

pH:5.35

Evaporation Rate & Reference: