View NSN Online: https://aerobasegroup.com/nsn/8040-01-285-9678

Product ID:URALANE S772A

MSDS Date:09/29/1988

FSC:8040

NIIN:01-285-9678

Kit Part:Y

MSDS Number: BLZCJ === Responsible Party ===

Company Name: FURANE PRODUCTS COMPANY Address: 5121 SAN FERNANDO ROAD WEST

City:LOS ANGELES

State:CA ZIP:90039 Country:US

Info Phone Num:818-247-6210 Emergency Phone Num:818-247

-6210

CAGE:OO131

=== Contractor Identification ===

Company Name: CIBA-GEIGY COMPANY, FURANE PRODUCTS

Address:5121 SAN FERNANDO ROAD WEST

Box:City:LOS ANGELES

State:CA ZIP:90039 Country:US

Phone:818-247-6210 OR 800-334-9481

CAGE:0EJE3

Company Name: FURANE PRODUCTS COMPANY

Phone:(201) 499-2401

CAGE:00131

====== Composition/Information on Ingredients ========

Ingred Name:TRADE SECRET; BLEND OF REACTION PRODUCTS OF POLYETHER POLYOLS & METHYLENE BIS-(4-CYCLOHEXYLISOCYANATE)

Fraction

by Wt: 100% Other REC Limits:NONE SPECIFIED OSHA PEL:0.01* ACGIH TLV:0.01*

Ingred Name:*AS METHYLENE BIS-(4-CYCLOHEXYLISOCYANATE) AND CEILING LIMITS.

RTECS #:9999999ZZ

Other REC Limits: NONE SPECIFIED

========== Hazards Identification ================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: OVEREXPOSURE CAUSES SEVERE IRRITATION OF THE RESPIRATORY TRACT A

ND MUCOUS MEMBRANE, TIGHTNESS

OF THE CHEST, SHORTNESS OF BREATH, COUGHING AND HEADACHES. BRONCHITIS AND PULMONARY EDEMA MAY DEVELOP. RESPIRATORY SENSITIZER. CAUSESALLERGIC RESPIRATORY REACTION WITH ASTHMA LIKE ATTACKS. SENSITIZATION SYMPTOMS*

Effects of Overexposure:*MAY BE DELAYED. EYE CONTACT: SUBSTANCE IN CONTACT WITH EYES WILL CAUSE A SEVERE IRRITATION AND POSSIBLE EYE DAMAGE. SKIN: SEVERELY IRRITATING TO SKIN; MAY CAUSE ALLERGIC REACTION. INGESTION: POSSIBLY BE

HARMFUL IF SWALLOWED. DELAYED

EFFECTS: PROLONGED OR REPEATED EXPOSURE CAN CAUSE ALLERGIC REACTION.

Medical Cond Aggravated by Exposure: ALLERGY OR RESPIRATORY CONDITIONS.

First Aid:INHALE: MOVE SUBJECT TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. EYE/SKIN CONTACT: FLUSH EYES WITH LARGE AMOUNT OF WATER FOR 15 MIN. PROMPT MED ATTEN. WASH SKIN THOROUGHLY WITH SOAP AND WATER. REMOVE AND WASH CLOTHING B


EFORE REUSE. INGESTION: IF

SWALLOWED DILUTE BY GIVING 2 GLASSES OF WATER TO DRINK. SEE A PHYSICIAN. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point Method: PMCC

Flash Point:177F,81C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY, FOAM. Fire Fighting Procedures:WEAR BREATHING APPARATUS (MSHA/NIOSH-APPROVED) PRESSURE DEMAND SELF CONTAINED OR EQUIVALENT) AND FULL PROTECTIVE GEAR.



Percent Volatiles by Volume: