

SOUTH COAST TERMINALS INC -- SCT MULTIPURPOSE ATF -- 9150-00-657-4959

=====
Product Identification
=====

Product ID:SCT MULTIPURPOSE ATF

MSDS Date:09/08/1994

FSC:9150

NIIN:00-657-4959

MSDS Number: BLZGD

=== Responsible Party ===

Company Name:SOUTH COAST TERMINALS INC

Address:7401 WALLISVILLE RD

Box:15535

City:HOUSTON

State:TX

ZIP:77020-3555

Country:US

Info Phone Num:713-672-2401

Emergency Phone N

um:713-672-2401

CAGE:1L506

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:4N760

Company Name:SOUTH COAST TERMINALS, INC

Address:7401 WALLISVILLE ROAD

Box:15535

City:HOUSTON

State:TX

ZIP:77020

Country:US

Phone:713-672-2401/800-424-9300(CHEMTREC)

CAGE:1L506

=====
Composition/Information on Ingredients
=====

Ingred Name:LUBRICATING OIL BASE

STOCK
CAS:8002-05-9
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM
ACGIH TLV:400 PPM

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ORAL-ACCIDENTAL INGESTION OF THIS
MATERIAL MAY CAUSE IRRIATION OF DIGESTIVE TRACT. EYE-THIS MATERIAL
MAY CAUSE EYE IRRITATION. SKIN-THIS MATERIAL MAY CAUSE SKIN
IRRITATION. INHALATION-
EXPOSURE TO HEA TED MIST OR VAPORS MAY
CAUSE IRRITATIONTO THE NOSE AND THROAT.
Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS
CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.
Effects of Overexposure:EYE-DIRECT CONTACT MAY CAUSE BURNING, TEARING,
AND REDNESS. SKIN-PROLONGED OR REPEATED CONTACT MAY CAUSE BURNING,
REDNESS AND DERMATITIS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====
=====

First Aid:ORAL: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.
EYES: FLUSH WITH CLEAN WATER. IF IRRITATION OR REDNESS PERSISTS,
SEEK MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. REMOVE
CONTAMINATED C LOTHING. IF IRRITATION PERSISTS, SEEK MEDICAL
ATTENTION. INHALATION: MOVE AWAY FROM SOURCE OF EXPOSURE. IF
IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====
=====

Flash Point:392F,200C (MIN)
Extinguishing Media:EXTINGUISH WITH DRY CHEMICAL, CARBON DIOXIDE, WATER
SPRAY, FOAM, DAND OR EARTH. WATER & FOAM MAY CAUSE FROTHING.
Fire Fighting Procedures:RESPIRATORY PROTECTION AND EYE PROTECTION
REQUIRED FOR FIRE FIGHTING PERSONNEL.
Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:TREAT AS AN OIL SPILL. CONTAIN AND REMOVE BY
MECHANICAL MEANS.

=====
===== Handling and Storage =====
=====

=====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED.
Ventilation:IF CURRENT VENTILATION PRACTICES ARE NOT ADEQUATE,
MECHANICAL VENTILATION IS RECOMMENDED.
Protective Gloves:CHEMICAL RESISTANT GLOVES, IF NEEDED.
Eye Protection:SAFETY GOGGLES OR SPLASH GOGGLES.
Other Protective Equipment:NONE
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
ADDITIONAL: MEDICAL OPINION IS DIVIDED FOR LARGE INGESTION. EMESIS OR
LAVAGE HAS BEEN RECOMMENDED FOR THOSE PETROLEUM PRODUCTS WHICH HAVE
A HIGH ORLA TOXICITY.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>500F,>260C
Vapor Pres:< 0.01
Vapor Density:> 1
Spec Gravity:0.87-0.88
pH:7
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:NEGLIGIBLE
Appearance and Odor:D
ARK AMBER LIQUID, MILD ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID STRONG OXIDIZERS
Stability Condition to Avoid:CONDITIONS OF HIGH HEAT MAY CAUSE THERMAL
DECOMPOSTION
Hazardous Decomposition Products:MAY YIELD MAJOR AMOUNTS OF OXIDES OF
CARBON & MINOR AMOUNTS OF OXIDES OF SULFUR, NITROGEN, PHOSPHORUS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST

BE MADE IN ACCORDANCE WITH

APPLICABLE FEDERAL, STATE OR LOCAL REGULATIONS. ENCLOSED-CONTROLLED INCINERATION IS RECOMMENDED UNLESS DIRECTED OTHERWISE BY APPLICABLE ORDINANCES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its u

se. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.