

NAVAL MINE WARFARE ENGINEERING ACTIVITY -- DISCHARGED BATTERY MERCURY-ZINC, MK
130-0 -- 6135-01-089-4888

===== Product Identification =====

Product ID:DISCHARGED BATTERY MERCURY-ZINC, MK 130-0

MSDS Date:02/11/1991

FSC:6135

NIIN:01-089-4888

MSDS Number: BMDKR

=== Responsible Party ===

Company Name:NAVAL MINE WARFARE ENGINEERING ACTIVITY

Address:CODE 60 BUILDING 1959

City:YORKTOWN

State:VA

ZIP:2369

1-5076

Country:US

Info Phone Num:804-887-4930

Emergency Phone Num:804-887-4930

Preparer's Name:ANN ALLEN

CAGE:30265

=== Contractor Identification ===

Company Name:HOECHST CELANESE CHEM GROUP

Box:City:DALLAS

State:TX

ZIP:75356-9320

Country:US

Phone:214-689-4000

CAGE:10001

Company Name:NAVAL MINE WARFARE ENGINEERING ACTIVITY

Address:CODE 60 BUILDING 1959

Box:City:YORKTOWN

State:VA

ZIP:23691-5076

Country:US

Phone:804-887-4930

CAGE:30265

===== Composition/Information on Ingredients =====

=====

Ingred Name:MERCURY
CAS:7439-97-6
RTECS #:OV4550000
Fraction by Wt: 5%
OSHA PEL:0.1 MG/M3, S, C
ACGIH TLV:0.05 MG/M3, S
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:MERCURIC OXIDE
CAS:21908-53-2
RTECS #:OW8750000
Fraction by Wt: 35%
OSHA PEL:0.1 MG HG/M3, S, C
ACGIH TLV:0.1 MG HG/M3

Ingred Name:POTASSIUM HYDROXIDE
CAS:1310-58-3
RTECS #:TT2100000
Fraction by Wt: 10%
OSHA PEL:2 MG/M3, C
ACGIH TLV:2 MG/M3, C
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:MANGANESE DIOXIDE
CAS:13
13-13-9
RTECS #:OP0350000
Fraction by Wt: 30%
OSHA PEL:5 MG/M3, C; 1 FUME
ACGIH TLV:5 MG/M3; 1 FUME

Ingred Name:MANGANESE
CAS:7439-96-5
RTECS #:OO9275000
OSHA PEL:(C) 5 MG/M3 DUST
ACGIH TLV:5 MG/M3 DUST 9293

Ingred Name:ZINC OXIDE
CAS:1314-13-2
RTECS #:ZH4810000
OSHA PEL:15MG/M3 TDUST/5 FUME
ACGIH TLV:10MG/M3 TDUST; 9293

Ingred Name:SUPP DATA: PARTS OF CELLS. USE ADEQUATE VENTILATION & AVOID
CONTACT OF CELL INTERNAL COMPONENTS WITH SKIN OR EYES.
RTECS #:9999999ZZ

Ingred Name:PROT GLOVES:

USE; USE RUBBER GLOVES TO HANDLE INTERNAL CELL
COMPONENTS.
RTECS #:9999999ZZ

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IN A FIRE SITUATION, CELLS MAY RELEASE
HAZARDOUS SUBSTANCES. ACUTE: INHAL: MAY CAUSE IRRITATION OR METAL
FUME FEVER IN A FIRE SITUATION. INGEST: I
NGREDIENTS ARE POISONOUS.
SKIN/EYE: MATERIALS MAY CAUSE SKIN OR EYE IRRITATION BY VAPOR OR
DIRECT CONTACT. CHRONIC: NOT LIKELY UNDER NORMAL USE.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:HEADACHE, COUGH, CHEST TIGHTNESS, CHEMICAL
PNEUMONITIS, HAND AND LIP TREMORS, MEMORY LOSS, DEPRESSION.
MANGANESE IS AN EXPERIMENTAL MUTAGEN. MANGANESE AND MERCURY ARE
EXPERIMENTAL TERATOGENS. MERCURY IS A HUMAN GASTROINTESTINAL TRACT
AND CENTRAL NERVOUS SYSTEM
POISON.
Medical Cond Aggravated by Exposure:RESPIRATORY INFECTIONS AND
DISEASES.

===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR, USE ARTF RESP IF NEEDED. SEEK MD
ATTN. EYE:FLUSH AT LEAST 15 MIN W/FRESH RUNNING WATER, OCCASNLY
LIFTING UPPER & LOWER LID. SEEK MD ATTN. SKIN:THORO WASH AFTD AREA
UNTIL NO TRACE OF MATL REMAINS. SEEK MD ATTN IF NEEDED. INGEST:NOT
LIKELY UNDER NORM USE. IF INGEST SHOULD OCCUR, GET IMMED MD
ATTN.
DRINK LG QUANTITIES OF WATER. EXPOS IN FIRE:REMOVE FROM FIRE HAZ
(SUPP DATA)

===== Fire Fighting Measures =====

Extinguishing Media:IN BULK STORAGE USE CO*2, FOAM OR DRY POWDER. WATER
MAY CAUSE ELECTRICAL SHORTS.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:CELLS MAY RUPTURE WHEN EXPOS TO EXCESSIVE
HEAT. MAY RELEASE MERCURY VAP WHEN HEATED WHICH REACTS VIOLENTLY

W/CHLORINE, HYDROGEN PEROXIDE, MAGNESIUM, (SUPP DATA)

===== Accidental Release Measures =====

Spill Release Procedures: BATTERIES ARE A DRY SOLID & CAN BE HANDLED EASILY W/ SHOVELS/SIMILAR EQUIP. WHEN ACCUMULATING LG QUANTITIES OF UNDISCHARGED BATTERIES FOR DISP PACK IN NON-CONDUCTIVE INSULATING MATL. BATTERIES W/ LEAKY CELLS SHOULD BE PLACED IN AN IMPERVIOUS (SUPP DATA)

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions: DO NOT STORE UNPACKAGED CELLS TOGETHER SO CONTACTS CAN TOUCH. THIS SITUATION WILL RESULT IN CELL SHORTING & HEAT BUILD-UP.

Other Precautions: DO NOT CHARGE, OVERHEAT (GREATER THAN 160F), OR OPEN CELLS. AVOID CONTACT WITH WATER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE NEEDED UNDER NORMAL USE. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation: MECHANICAL VENTILATION RECOMMENDED.

Protective Gloves: NONE REQUIRED UNDER NORMAL (ING 8)

Eye Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: NONE REQUIRED UNDER NORMAL USE.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

VP: 0.0002 @ 25C. EXPLO HAZ: SULFUR, AND HYDROCARBONS. FIRST AID PROC: AREA TO FRESH AIR. SEEK MEDICAL ATTENTION. SPILL PROC: PLASTIC BAG, SEALED W/TAPE, AND THE BAG PLACED IN A STRONG FIBERBOARD BOX WITH

VERMICULITE TO ABSORB ELECTROLYTE. AVOID HEAT & WATER. USE RUB GLOVES FOR CLEANING SPILLS/HANDLING INTERNAL (ING 7)

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: >212F, >100C

Vapor Pres: SUPP DATA

Vapor Density: >1

Spec Gravity: >1 (H₂O=1)

Evaporation Rate & Reference: >1 (BUTYL ACETATE=1)

Solubility in Water: NEGLIGIBLE

Appearance and Odor: BLACK SOLID GRANULES, NO APPRECIABLE ODOR, ENCASED IN BATTERY ASSEMBLY.

=====

== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

KEEP AWAY FROM WATER. AVOID CHLORINE, HYDROGEN PEROXIDE, SULFUR, PHOSPHORUS, HYDROCARBONS, REDUCING AGENTS.

Stability Condition to Avoid: EXCESSIVE HEAT AND FIRE (HEATING ABOVE 160F), CHARGING.

Hazardous Decomposition Products: IN A FIRE SITUATION, MERCURY VAPOR, MANGANESE, CARBON MONOXIDE, NITROGEN OXIDES, AND ZINC OXIDE FUMES MAY BE EMITTED.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF I/A/W ALL FEDERAL, STATE AND LOCAL REGULATIONS. DISPOSAL BY LANDFILL MAY BE PROHIBITED IN SOME AREAS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.