

AMERICAN BRAIDING AND MFG.CORP -- STYLE 3030 I VALVE PACKING -- 5330-00-197-8529

=====
Product Identification
=====

Product ID:STYLE 3030 I VALVE PACKING
MSDS Date:05/25/1990
FSC:5330
NIIN:00-197-8529
MSDS Number: BMDNH
=== Responsible Party ===
Company Name:AMERICAN BRAIDING AND MFG.CORP
Address:RT.79 & BEACON HILL ROAD
Box:397
City:MORGANVILLE
State:NJ
ZIP:07751
Country:US
Info Phone Num:201-591-0725
Emergency Phone Num:201-591-0725
CAGE:4R345
=== Contractor Identification ===
Company Name:AMERICAN BRAIDING AND MFG CORP
Address:247 OLD TAVERN ROAD
Box:City:HOWELL
State:NJ
ZIP:07731
Country:US
Phone:732-938-6333 ...FAX 6377
CAGE:4R345

=====
Composition/Information on Ingredients
=====

Ingred Name:ASBESTOS, CHRYSOTILE
CAS:12001-29-5
RTECS #:CI6478500
Fraction by Wt: 30% MIN
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.2 FIBERS/CC
ACGIH TLV:2 FIBERS/CC; A1;9192

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:ACUTE- DUST MAY CAUSE IRRITATION OF EYES & SKIN. CHRONIC- LONG TERM EXPOSURE TO ASBESTOS CAN CAUSE ASBESTOSIS, LUNG DISEASE, LUNG CANCER.
Explanation of Carcinogenicity:ASBESTOS IS REGULATED BY OSHA AS A CARCINOGEN.
Effects of Overexposure:ASBESTOSIS IS ASSOCIATED WITH SYMPTOMS OF LABORED BREATHING, CHEST PAIN, COUGHING AND FINGER CLUBBING. LIKE OTHER AEROSOLS, ASBESTOS FIBERS MAY IRRITATE THE UPPER RESPIRATORY TRACT.
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS SUCH AS CHRONIC BRONCHITIS, ASTHMA OR DERMATITIS.

=====
First Aid Measures
=====

First Aid:SEEK MEDICAL ATTENTION. IN CASE OF EYE IRRITATION GENTLY RINSE WITH WATER FOR 15 MINUTES WHILE KEEPING EYELIDS OPEN. SKIN: WASH FREQUENTLY WITH WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: CALL PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:NON FLAMMABLE
Extinguishing Media:NONE REQUIRED
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NON FLAMMABLE

=====
Accidental Release Measures
=====

Spill Release Procedures:TREAT DUST AS FREE ASBESTOS. DO NOT DRY SWEEP OR USE COMPRESSED AIR.
Neutralizing Agent:NOT APPLICABLE.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORAGE- AVOID CREATING DUST BY SANDING OR GRINDING THE PRODUCT.
Other Precautions:USE IN WELL VENTILATED AREA. AVOID BREATHING DUST OR FIBERS. MINIMIZE CONTACT WITH SKIN. AVOID CONTACT WITH EYES. DO NOT RAISE DUST.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/OSHA APPROVED HIGH EFFICIENCY DUST RESPIRATOR WHEN AIRBORNE FIBER CONCENTRATI

ONS EXCEED THE PEL.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. CHECK LOCAL REGULATIONS FOR EMISSION STANDARDS.

Protective Gloves:NATURAL RUBBER OPTIONAL

Eye Protection:DUST-RESISTANT SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:DON'T TAKE PROTECTIVE GEAR/CLOTHING HOME IF EXPOSED TO DUST. DON'T SHAKE. DON'T EAT IN AREA WHERE ASBESTOS/DUST PRESENT.

Supplemental Safety and Health

=====

===== Physical/Chemical Properties =====

HCC:T7

Spec Gravity:1.5

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK SHINY BRAIDED ROPE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS AND ALKALIES

Stability Condition to Avoid:STABLE TO 600 F

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suit

ability of this information to their particular situation.