View NSN Online: https://aerobasegroup.com/nsn/6750-00-487-4199

MINNESOTA MINING & MFG CO -- MICROFILM DEVELOPER FOR P-74 PROCESSOR 6750-00-487-4199

Product ID:MICROFILM DEVELOPER FOR P-74 PROCESSOR MSDS Date:12/19/1989 FSC:6750 NIIN:00-487-4199 **MSDS Number: BMDRR** === Responsible Party === Company Name: MINNESOTA MINING & MFG CO Address:3M CTR City:ST. PAUL State:MN ZIP:55144-1000 Country:US Info Phone Num:612-733-1341 Eme rgency Phone Num:612-733-1110 CAGE:76381 === Contractor Identification === Company Name: MINNESOTA MINING AND MFG CO, DBA 3M Address:3M CENTER BLDG 224-5S-04 Box:City:SAINT PAUL State:MN ZIP:55144-1000 Country:US Phone:866-556 5712 / 612-733-1110 CAGE:76381

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 80-90% Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fracti on by Wt: 1-10% Other REC Limits:NONE SPECIFIED

Ingred Name:HYDROQUINONE (SARA III) CAS:123-31-9 RTECS #:MX3500000 Fraction by Wt: 1-5% Other REC Limits:NONE SPECIFIED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:POTASSIUM HYDROXIDE (SARA III) CAS:1310-58-3 RTECS #:TT2100000 Fraction by Wt: 1-5% Other REC Limits:NONE SPECIFIED OSHA PEL:C, 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

======= Hazards Ident

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT ESTABLISHED. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: INHALATION: NO ADVERSE HEALTH EFFECTS ARE EXPECTED FOR THE WORKING SOLUTIONS. EYES: WORKING SOLUTIONS MAY CAUSE MILD EYE IRRITATION. SKIN: MAY CAUSE IRRITATION OR ALLERGIC REACTIONS. INGESTION: MAY CAUSE DIGESTIVE SYSTEM **IRRITATION.SODIUM SULFIT** E CAN CAUSE SEVERE ASTHMATIC REACTIONS IN SENSITIVE INDIVIDUALS. Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure: EYES: MAY CAUSE EYE IRRITATION. UNDILUTED DEVELOPER COULD CAUSE PERMANENT EYE DAMAGE.INHALATION:VAPORS COULD CAUSE RESPIRATORY IRRITATION. SKIN: COULD CAUSE ALLERGIC SKIN REACTION. INGESTION: MAY CAUSE DIGESTIVE SYSTEM IRRITATION. Medical Cond Aggravated by Exposure:MANUFAC

TURER DOES NOT GIVE INFORMATION ON AGGRAVATED MEDICAL CONDITIONS BY EXPOSURE TO THIS MATERIAL.

First Aid:EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 10 MINUTES HOLDING EYELIDS OPEN. GET IMMEDIATE MEDICAL ATTENTION. SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. INGESTION:DO NOT INDUCE VOMITING. GIVE N OTHING BY MOUTH IF UNCONSCIOUS. IMMEDIATELY GIVE TWO GLASSES OF MILK OR WATER. CALL A PHYSICIAN AT ONCE. NOTE:

ALKALINE SOLUTION. TREAT ACCORDINGLY.

Flash Point:NONE

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:MANUFACTURE STATES NONE KNOWN.

Spill Release Procedures:OBSERVE PRECAUTIONS LISTED IN OTHER SECTIONS. COLLECT SPILLED MATERIAL AND FLUSH AREA WITH WATER AS NECESSARY. Neutralizing Agent:SULFAMIC ACID, DILUTE HYDROCHLORIC ACID, SODIUM BISULFATE, OR VINEGAR.

Handling and Storage Precautions:PROTECT FROM FREEZING; AVOID EYE AND SKIN CONTACT. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. Other Precautions:DO NOT TAKE INTERNA LLY.

Respiratory Protection:MANUFACTURER STATES THAT DUE TO THE AQUEOUS NATURE OF THE PRODUCT AND THE LOW CONCENTRATIONS OF THESE CHEMICALS IN THE PRODUCT, THESE EFFECTS ARE NOT ANTICIPATED.
Ventilation:MECHANICAL (GENERAL) ROOM VENTILATION IS NORMALLY ADEQUATE.
Protective Gloves:IMPERVIOUS GLOVES.
Eye Protection:SAFETY GOGGLES OR SAFETY GLASSES.
Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUST

RIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health DO NOT GET ON SKIN OR IN EYES. LAUNDER CONTAMINATED CLOTHING PRIOR TO REUSE. HCC:N1 Boiling Pt:B.P. Text:212F,100C Vapor Pres:1 @212F Vapor Density:>1 Spec Gravity:1.1 pH:11 Solubility in Water:COMPLE TE Appearance and Odor: CLEAR COLORLESS SOLUTION, ODORLESS. Percent Volatiles by Volume:>80 Stability Indicator/Materials to Avoid:YES STRONG ACIDS. Stability Condition to Avoid: ONE STATED BY MANUFACTURE. Hazardous Decomposition Products: SULFUR DIOXIDE, SULFUR TRIOXIDE. Waste Disposal Methods: CONSULT YOUR LOCAL ENVIRONMENTAL OFFICER. **INCINERATION IN A PER** MITTED FACILITY CAPABLE OF MEETING APPLICABLE

REGULATORY REQUIREMENTS FOR DESTRUCTION AND REMOVAL IS PREFERRED. IN MANY SITUATIONS, SANIT ARY SEWER DISPOSAL MAY BE PREFERRED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use.

Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.