View NSN Online: https://aerobasegroup.com/nsn/6750-01-313-1954

ILFORD PHOTO CORP -- P-22 BLEACH BL22.15 PART B -- 6750-01-313-1954

Product ID:P-22 BLEACH BL22.15 PART B

MSDS Date:11/03/1989

FSC:6750

NIIN:01-313-1954

Kit Part:Y

MSDS Number: BMDXT === Responsible Party ===

Company Name: ILFORD PHOTO CORP

Address:70 W CENTURY RD

City:PARAMUS

State:NJ ZIP:07653 Country:US

Info Phone Num:201-265-6000 Emergency Phone Num:800-842-9

660

CAGE:64145

=== Contractor Identification ===

Company Name: ILFORD PHOTO CORP

Address:W 70 CENTURY RD

Box:City:PARAMUS

State:NJ ZIP:07653 Country:US

Phone:201-265-6000

CAGE:64145

======= Composition/Information on Ingredients ========

Ingred Name: ACETIC ACID (SARA III)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 16-20%

Other REC Limits: NONE SPECIFIED

OSHA PEL:10 PPM

ACGIH TLV:10 PPM/15 STEL; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:POTASSIUM IODIDE

CAS:7681

-11-0

RTECS #:TT2975000 Fraction by Wt: 12-15%

Other REC Limits: NONE SPECIFIED

Ingred Name: SODIUM MERCAPTO PROPANE SULFONATE

CAS:17636-10-1 RTECS #:TZ6655600 Fraction by Wt: 1-3%

Other REC Limits: NONE SPECIFIED

Ingred Name: QUIONOXALINE ADDUCT

CAS:17635-21-1 Fraction by Wt: 1-3%

Other REC Limits: NONE SPECIFIED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 60-65%

Other REC Limits: NONE SPECIFIED

========== Hazards Identification ==============

LD50 LC50

Mixture:LD50 (ORAL RAT)=3310 MG/KG.(ACETIC ACID)
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: CAUSES IRRI


Health Hazards Acute and Chronic:ACUTE: CAUSES IRRITATION AND BURNS TO EYES AND SKIN. UPPER RESPIRATORY IRRITATION. IF INGESTED, CAUSES SEVERE INJURY, BURNS TO THE MOUTH, THROAT, ESOPHAGUS AND STOMACH. CHRONIC: MIST OR VAPOR CAUSES C HRONIC INFLAMATION TO UPPER RESPIRATORYTRACT IRRITATION AND CHRONIC BRONCHITIS. SKIN DERM

ATITIS.

Effects of Overexposure: COUGHING, SNEEZING, IRRITATION TO UPPER RESPIRATORY TRACT, SORE THROAT, VOMITING, DIARRHEA.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH SKIN DISORDER OR PREVIOUS HISTORY OF UPPER RESPIRATORY PROBLEMS MAY BE AT HIGHER RISK OF INFECTIONS.MAY CAUSE SKIN DERMATITIS AND CHRONIC BRONCHITIS.

First Aid:INHALATION:REMOVE TO FRESH AIR GIVE OXYGEN, PERFORM CPR IF NOT BREATHIN



OR SMOKING.

KEY1:C3. THIS IS

Supplemental Safety and Health

A PART B OF A KIT. THIS PRODUCT CONTAINS A HAZARDOUS CHEMICAL ACCORDING TO FEDERAL HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200.

	Ph	ysical/Chemical Properties	
--	----	----------------------------	--

HCC:C1

Boiling Pt:B.P. Text:>212F,>100C

Spec Gravity:1.134

pH:2-3

Evaporation Rate & Reference:1 (WATER = 1)

Solubility in Water: COMPLETELY SOLUBILE

Appearance and Odor: COLORLESS TO LIGHT LIQUID, SLIGHT ODOR.

Percent Volatiles by Volume:83%

======= Stability and Reactivity

Data ========

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:INTENSE HEAT OR FIRE WILL PRODUCE CARBON MONOXIDE AND CARBON DIOXIDE.

======= Disposal Considerations ===========

Waste Disposal Methods:SOLUTION IS BIODEGRADABLE AND CAN BE DISPOSED OF BY INCINERATION. TREAT AND DISCHARGE OF ACCORDING TO LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.