

X-ERGON DIV OF NCH CORP -- 6011 ELECTRODE -- 3439-00-262-2654

=====  
Product Identification  
=====

Product ID:6011 ELECTRODE

MSDS Date:09/01/1989

FSC:3439

NIIN:00-262-2654

MSDS Number: BMGPG

=== Responsible Party ===

Company Name:X-ERGON DIV OF NCH CORP

Address:1400 E NORTHGATE DRIVE

Box:152102

City:IRVING

State:TX

ZIP:75015-2102

Country:US

Info Phone Num:214-438-1381

Emergency Phone Num:214-438-13

81

Preparer's Name:J. MICHAEL COLE

CAGE:55649

=== Contractor Identification ===

Company Name:X-ERGON A PARTSMASTERS CO DIV NCH CORP

Box:152170

City:IRVING

State:TX

ZIP:75015

Country:US

Phone:972-438-1381

CAGE:55649

=====  
Composition/Information on Ingredients  
=====

Ingred Name:IRON

CAS:7439-89-6

RTECS #:NO4565500

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3

ACGIH TLV:10 MG/M3 AS FE2O3

Ingred Name:MANGANESE (SARA III)

CAS:7439-96-5

RTECS #:OO9275000

Other REC Limits:NONE

SPECIFIED  
OSHA PEL:(C) 5 MG/M3 DUST  
ACGIH TLV:5 MG/M3 DUST 9293

Ingred Name:CELLULOSE (PAPER FIBER)  
CAS:9004-34-6  
RTECS #:FJ5691460  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3; 9192

Ingred Name:TITANIUM DIOXIDE  
CAS:13463-67-7  
RTECS #:XR2275000  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:POTASSIUM ALUMINUM SILICATE (FELDSPAR)  
CAS:68476-25-5  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:2 MG/M3

Ingred Name:POTAS  
SIUM TITANATE  
CAS:12030-97-6  
Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: EXPOSURE TO FUMES MAY CAUSE  
DIZZINESS, NAUSEA, OR DRYNESS OR IRRITATION OF NOSE, THROAT, OR  
EYES. CHRONIC: MAY LEAD TO SIDEROSIS (IRON DEPOSITS IN THE LUNG)  
AND IS BELIEVED BY SOME INVESTIGATOR S TO AFFECT PU  
LMONARY  
FUNCTION. ARC RAYS CAN INJURE EYES AND BURN SKIN. ELECTRIC SHOCK  
CAN KILL.

Explanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT  
ARE LISTED BY NTP, IARC, OR OSHA AS A CARCINOGEN.  
Effects of Overexposure:DIZZINESS, NAUSEA, DRYNESS OR IRRITATION OF THE  
NOSE, THROAT, OR EYES.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR AND

SEEK MEDICAL AID.

ADMINISTER RESPIRATION. IF NO DETECTABLE PULSE, BEGIN EXTERNAL HEART MASSAGE. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION. IN CASE OF ELECTRICAL SHOCK TURN OFF POWER PRIOR TO REMOVAL FROM AREA AND ADMINISTER AID.

=====  
Fire Fighting Measures  
=====

Autoignition Temp:Autoignition Temp Text:UNKN  
ON

Extinguishing Media:NONE SPECIFIED BY MANUFACTURER.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND FULL FACE-PIECE SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard:WELDING ARC AND SPARK CAN IGNITE COMBUSTIBLES. DO NOT USE WATER ON MOLTEN METAL BECAUSE HAZARDOUS METAL FUMES/DUST MAY BE PRODUCED.

=====  
Handling and Storage  
=====

Handling and  
Storage Precautions:KEEP DRY.

Other Precautions:SPARKS, SPATTER, AND ARC CAN IGNITE FLAMMABLE PRODUCTS.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:WELD FUME RESPIRATOR FOR CONFINED SPACE OR WHEN EXCEEDING TLV.

Ventilation:USE VENTILATION AND/OR LOCAL EXHAUST AT THE ARC TO KEEP THE FUMES/GASES BELOW THE TLV'S IN THE WORKERS BREATHING ZONE.

Protective Gloves:WELDER'S PROTECTIVE GLOVES

Eye Protection:PROTECTIVE WELDING LENS

Other Protect

ive Equipment:PROTECTIVE CLOTHING SUCH AS LEATHER APRONS, ETC.

Work Hygienic Practices:WASH AFTER HANDLING.

Supplemental Safety and Health

WELDER SHOULD KEEP HIS OR HER HEAD OUT OF THE FUMES.

=====  
Physical/Chemical Properties  
=====

HCC:N1

Appearance and Odor:SOLID ROD

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
NONE.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomp

osition Products:FUMES OF METALS AND METAL OXIDES,  
CARBON MONOXIDE, CARBON DIOXIDE, OZONE, NITROGEN OXIDES, FLUORIDES,  
AND COMPLEX OXIDES

===== Disposal Considerations =====

Waste Disposal Methods:DISCARD ANY PRODUCT (INCLUDING ANY RETAINED  
MATERIALS OF USE), DISPOSABLE CONTAINER OR LINER IN AN  
ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL,  
STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the c  
ompiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.