View NSN Online: https://aerobasegroup.com/nsn/9150-01-086-8127

TEXACO INC CORPORATE HQ -- 00940 REGAL AFB 2 -- 9150-01-086-8127

Product ID:00940 REGAL AFB 2 MSDS Date:09/17/1991 FSC:9150 NIIN:01-086-8127 MSDS Number: BMGRV === Responsible Party === Company Name: TEXACO INC CORPORATE HQ Address:2000 WESTCHESTER AVE **City:WHITE PLAINS** State:NY ZIP:10604 Country:US Info Phone Num:914-831-3400 ,914-838-7204 **Emergency Phone Num:91** 4-831-3400 ,EXT.406 CAGE:59595 === Contractor Identification === **Company Name: SPENCER BROTHERS INC** Address:RAILROAD AVE Box:581 City:WAVERLY State:VA ZIP:23890 Country:US Phone:804-834-2322 CAGE:7X705 Company Name: TEXACO INC CORPORATE HQ Address:2000 WESTCHESTER AVE **City:WHITE PLAINS** State:NY ZIP:10604 Country:US Phone:914-253-4000 CAGE:59595

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC CAS:64742-65-0 RTECS #:PY8038500 Fraction by Wt: 50-65% Other REC Limits:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:HYDROTREATED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM CAS:64742-52-5 RTECS #:PY8035000 Fraction by Wt: 11-20% Other REC Limits:5 MG/M3 OIL MIST

Ingred Name:HYDROTREATED C25 BRIGHT STOCK BASED LUBRICATING OIL CAS:72623-83-7 Fraction by Wt: 11-20% Other REC Limits:5 MG/M3 OIL MIST

Ingred Name:LITHIUM HYDROXYSTEARATE CAS:7620-77-1 Fraction by Wt: 4-11% Other REC Limit s:5 MG/M3 OIL MIST

LD50 LC50 Mixture:LD50 (ORAL, RAT) = >5 G/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:PRACTICALLY NON-HAZARDOUS. SKIN/INHALATION:NO ADVERSE EFFECTS EXPECTED AT AMBIENT TEMPERATURES. EYE:MAY CAUSE TEMPORARY IRRITATION. INGESTION:NO ADVERSE EFFECTS EXPECTED. IF MORE THAN SEVERAL HA NDFULS AR E SWALLOWED, ABDOMINAL DISCOMFORT, NAUSEA, AND DIARRHEA MAY OCCUR. CHRONIC:NONE ANTICIPATED. Effects of Overexposure:TEMPORARY DISCOMFORT/IRRITATION OF EYES. INGESTION(LARGE DOSES):NAUSEA, DIARRHEA.

Medical Cond Aggravated by Exposure:SKIN DISORDERS.

First Aid:INHALATION:REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION: DO NOT INDUCE VOMITING. DRINK WATER. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION. Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BR EATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:NONE NOTED, COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. Spill Release Procedures: USE PROPER PERSONAL PROTECTION; CONTAIN FREE MATERIAL IF POSSIBLE; USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER. Neutralizing Agent:NO T APPLICABLE. Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT

CONTAINERS FROM PHYSICAL DAMAGE. Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES.

USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

====== Exposure Controls/P

ersonal Protection =========

Respiratory Protection:NOT NEEDED WITH AN ADEQUATE VENTILATION. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND

RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOO TWEAR. Supplemental Safety and Health AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

HCC:V6 Vapor Pres:NEGLIGIBLE Solubility in Water:NEGLIGIBLE Appearance and Odor:MOBILE LIQUID (GREASE) Percent Volatiles by Volume:100.0

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Co ndition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, IRRITATING ALDEHYDES AND KETONES AND COMBUSTION PRODUCTS OF NITRIGEN AND LITHIUM.

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES.DISPOSAL MUST BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this informa

tion by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.