

POLYMER PLASTECS CORP. -- INSULATING COMPOUND PT A -- 5970-00-689-8832

=====
Product Identification
=====

Product ID:INSULATING COMPOUND PT A

MSDS Date:07/05/1990

FSC:5970

NIIN:00-689-8832

Kit Part:Y

MSDS Number: BMGXV

=== Responsible Party ===

Company Name:POLYMER PLASTECS CORP.

Address:65 DAVIDS DR.

City:HAUPPAUGE

State:NY

ZIP:11788

Country:US

Info Phone Num:516-231-1300

Emergency Phone Num:516

-231-1300

Preparer's Name:J. HERMELE

CAGE:LO827

=== Contractor Identification ===

Company Name:POLYMER PLASTECS CORP.

Address:65 DAVIDS DR.

City:HAUPPAUGE

State:NY

ZIP:11788

Country:US

Phone:516-231-1300

CAGE:LO827

Company Name:POLYMER PLASTICS CORP

Address:65 DAVIDS DRIVE

Box:City:HAUPPAUGE

State:NY

ZIP:11788

Country:US

Phone:516-231-1300, 800-255-3924

CAGE:0H381

=====
Composition/Information on Ingredients
=====

Ingred Name:SILICON FLUID

CAS:63148-62-9

Fraction by Wt: 50 -

75%

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE/CHRONIC: UNDER ORDINARY HANDLING
AND USE, NO ADVERSE EFFECTS HAVE BEEN REPORTED.
Effects of Overexposure:NO ADVERSE EFFECTS HAVE BEEN REPORTED.
Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====
=====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.SKIN:WASH WITH SOAP
& WATER.EYE:FLUSH WITH WATER FOR 15 MINUTES,HOLDING EYELIDS
OPEN.INHALED:REMOVE TO FRESH AIR.ORAL:CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:NONE
Extinguishing Media:WATER SPRAY, CO2, FOAM/DRY CHEMICAL. WATER SPRAY
MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL & FLUSH SPILLS
AWAY.
Fire Fighting Procedures:WEAR FULL
L PROTECTIVE CLOTHING AND
NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL
FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.
Unusual Fire/Explosion Hazard:NONE KNOWN.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LIQUID ON PAPER AND PICK UP WITH
SHOVEL. POWDERS AND CEMENTS MAY BE SWEEPED UP USING DUSTLESS METHOD.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORA

GE-PRACTICE REASONABLE CARE AND CLEANLINESS.

Other Precautions:DO NOT GET IN EYES OR SKIN. WASH THOROUGHLY AFTER HANDLING. USE WITH ADEQUATE VENTILATION.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR CARTRIDGE OR RESPIRATOR DESIGNED TO REMOVE COMBINATION OF PARTICULATE AND VAPOR WHERE CONCENTRATIONS ARE ENCOUNTERED.

Ventilation:LOCAL EXHAUST

Protective Gloves:NONE

Eye Protection:SAFETY GOGGLES

Other Prote

ctive Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING IF NEEDED

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

THIS PRODUCT IS A KIT CONSISTING OF TWO PARTS. FOR PART B, SEE PIN B SAME NSN.

=====
===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres:25.7

Evaporation Rate & Reference: