

BAKER SEALANTS AND COATINGS CO -- CORROSION PREVENTIVE COMPOUND --  
8030-01-041-1596

=====  
===== Product Identification =====

Product ID:CORROSION PREVENTIVE COMPOUND  
MSDS Date:05/09/1990  
FSC:8030  
NIIN:01-041-1596  
MSDS Number: BMQLM  
=== Responsible Party ===  
Company Name:BAKER SEALANTS AND COATINGS CO  
Address:234 SUYDAM AVE  
Box:B  
City:JERSEY CITY  
State:NJ  
ZIP:07304-3306  
Country:US  
Info Phone Num:201-333-6986 / FAX 201-333-6955  
Emergency Phone Num:201-333-6986  
Preparer's Name:CHARLES FRIEDMAN  
CAGE:34094

==== Contractor Identification ====

Company Name:BAKER SEALANTS AND COATINGS CO  
Address:234 SUYDAM AVE  
Box:City:JERSEY CITY  
State:NJ  
ZIP:07304-3306  
Country:US  
Phone:201-333-6986  
CAGE:34094

=====  
===== Composition/Information on Ingredients =====

Ingred Name:AROMATIC  
CAS:75-69-4  
RTECS #:PB6125000  
Other REC Limits:100 PPM  
OSHA PEL:1000 PPM  
ACGIH TLV:C, 1000 PPM; 9293  
EPA Rpt Qty:5000 L

BS  
DOT Rpt Qty:5000 LBS  
Ozone Depleting Chemical:1

Ingred Name:TRICHLOROTRIFLUOROETHANE  
CAS:76-13-1  
RTECS #:KJ4000000  
Fraction by Wt: 19%  
Other REC Limits:1000 PPM  
Ozone Depleting Chemical:1

Ingred Name:BARIUM DULFONATE  
CAS:21109-95-5  
Fraction by Wt: 3%  
Other REC Limits:NONE SPECIFIED

Ingred Name:POLYMETHYLSILOXINE  
Fraction by Wt: 7%  
Other REC Limits:NONE SPECIFIED

Ingred Name:SILICONE ALKYD  
Fraction by Wt: 20%  
Other REC Limits:NONE SPECIFIED

Ingred Name:PROPELLENT FREON 12  
CAS:75-71-8  
RTECS  
#:PA8200000  
Fraction by Wt: 32%  
Other REC Limits:1000 PPM  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS  
Ozone Depleting Chemical:1

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES/SKIN: CAN CAUSE IRRITATION.  
INHALE: CAN CAUSE EXCESSIVE HEADACHE, DIZZINESS, NAUSEA AND UPPER  
RESPIRATORY INFLAMATION.

===== F

First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER AND APPLY CREAM. INHALE: REMOVE TO FRESH AIR, APPLY ARTIFICIAL RESPIRATION IF NECESSARY. INGEST: CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:NR

Lower Limits:0.5

Upper Limits:6

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard:CONTAINER UNDER PRESSURE, KEEP A WAY FROM SPARKS, FIRE AND OPEN FLAME.

===== Accidental Release Measures =====

Spill Release Procedures:LARGE SPILLS: FLUSH WITH WATER INTO RETAINING AREA. AVOID SPARKS, FIRE OR HOT METAL SURFACES. SMALL SPILLS: ABSORB ONTO AN APPROPRIATE ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP COOL AND AWAY FROM SOURCES OF IGNITION. USE WITH ADEQUATE VENTILATION. AVOID PROLONGED OR REPEATED PERSONAL CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN CONCENTRATION IS ABOVE TIME WEIGHTED TLV USE CARTRIDGE RESPIRATOR OR GAS MASK.

Ventilation:LOCAL EXHAUST: SUFFICIENT TO KEEP TLV DOWN

Protective Gloves:IMPERMEABLE

Eye Protection:CHEMICAL GOGGLES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V2

Boiling Pt:B.P. Text:360 TO 410F

Vapor Pres:0.5 DEG.F

Vapor Density:4

.6  
Spec Gravity:1.044  
Evaporation Rate & Reference:0.1  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:LIGHT BLUE COLOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:AVOID HEAT, SPARKS, OPEN FLAME OR FIRE  
Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD  
MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF  
IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should  
seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.