

EEEECE OIL COMPANY -- MIL-H-46001C HYDRAULIC FLUID PETRO -- 9150-00-966-8831  
===== Product Identification =====

Product ID:MIL-H-46001C HYDRAULIC FLUID PETRO

MSDS Date:01/01/1987

FSC:9150

NIIN:00-966-8831

MSDS Number: BMSPY

=== Responsible Party ===

Company Name:EEEECE OIL COMPANY

Country:US

Info Phone Num:804-279-4371

Emergency Phone Num:804-279-4371

Preparer's Name:DGSC-SSH

CAGE:EEEECE

=== Contrac

tor Identification ===

Company Name:EEEECE OIL COMPANY

Address:ADDRESS 01JUN95

City:01JUN95

Country:US

Phone:804-279-4371

CAGE:EEEECE

===== Composition/Information on Ingredients =====

Ingred Name:DISTILLATES, HYDROTREATED HEAVY PARAFFINIC

CAS:64742-54-7

RTECS #:PY8035500

Other REC Limits:NONE SPECIFIED

OSHA PEL:300 PPM

ACGIH TLV:300 PPM

Ingred Name:OTHER COMPONENTS (TYPE NOT SPECIFIED)

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

=====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:IRRITATION OF

EYES,SKIN,RESPIRATORY OR G.I.TRACTS;CNS EFFECTS LIKE

HEADACHE,DIZZINESS,NAUSEA AND VOMITING. REDNESS OR BURNS OF

EYES/SKIN POSSIBLE.CHRONIC:DRYING OF SKIN,DEFATTING OR DERMATITIS.

Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS

CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Eff

ects of Overexposure:MAY CAUSE IRRITATION OF EYES,SKIN, RESPIRATORY OR G.I.TRACTS;MAY CAUSE HEADACHE,DIZZINESS,NAUSEA,VOMITING OR GI TRACT DISTURBANCES POSSIBLE.BURNS OR REDNESS OF EYES/CRACKING OR DRYNESS OF SKIN.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First

Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING. GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOV E CONTAMINATED CLOTHING. WASH WITH SOAPAND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:392F,200C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:CONTAINERS MAY EXPLODE DUE TO EXTREME HEAT. FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

Neutralizing Agent:NOT APPLICABLE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS

FROM PHYSICAL DAMAGE.

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:NEOPRENE, NITRI  
LE, OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS. DO NOT USE CONTAMINATED CLOTHES.PROP  
ER  
FOOTWEAR REQUIRED.

=====  
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>572F,>300C

Vapor Pres:1.0

Spec Gravity:0.874

Evaporation Rate & Reference: