

KEUFFEL AND ESSER CO. -- STABILINE 58-2188 TOUCH-UP FLUID THINNER -- 6750-01-018-1532  
===== Product Identification =====

Product ID:STABILINE 58-2188 TOUCH-UP FLUID THINNER

MSDS Date:04/17/1991

FSC:6750

NIIN:01-018-1532

MSDS Number: BMSQG

=== Responsible Party ===

Company Name:KEUFFEL AND ESSER CO.

Address:FORD ROAD

City:ROCKAWAY

State:NJ

ZIP:07866

Country:US

Info Phone Num:201-625-9005

Emergency

Phone Num:201-625-9005

CAGE:GO787

=== Contractor Identification ===

Company Name:AZON CORPORATION

Address:720 AZON DRIVE

Box:290

City:JOHNSON CITY

State:NY

ZIP:13790-1725

Country:US

Phone:607-797-2368

CAGE:02785

Company Name:KAUFFEL & ESSER CO

Address:FORD ROAD

Box:City:ROCKAWAY

State:NJ

ZIP:07866

Country:US

CAGE:74067

Company Name:KEUFFEL AND ESSER COMPANY

CAGE:GO787

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:803

0-30-6  
RTECS #:DE3030000  
Fraction by Wt: 20-30%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM  
ACGIH TLV:300 PPM

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 20-30%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 40-50%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM/150 STEL  
ACGIH TLV:1  
00 PPM/150STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: SEVERE EYE IRRITANT. CONTACT  
MAY CAUSE SKIN DRYING AND DEFFATING. INHALATION MAY CAUSE CENTRAL  
NERVOUS SYSTEM EFFECTS. ASPIRATION INTO LUNGS AFTER INGESTION MAY  
LEAD TO PNEUMONITIS. CHRONIC: NO NE NOTED.

Exp  
lanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT  
IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYES/SKIN: IRRITATION, DRY CRACKED SKIN.  
INHALATION: DIZZINESS, DROWSINESS, HEADACHE, NAUSEA. INGESTION:  
VOMITING.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH A HISTORY OF SKIN  
AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:EYES:FLUSH

WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, SEE DOCTOR. SKIN: WASH WITH MILD SOAP AND WATER WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. INHALATION: REMOVE VICTIM TO FRESH AIR. GIVE OXYGEN/CPR IF NEEDED. SEE DOCTOR. INGESTION: DO NOT INDUCE VOMIT. SEE DOCTOR IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method: TCC

Flash Point: 62.6F, 17.0C

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures: REMOVE PERSONNEL. ELIMINATE IGNITION SOURCES. VENTILATE AREA. WEAR PROTECTIVE CLOTHING AND EQUIPMENT. AB

SORB IN INERT MATERIAL AND PLACE IN APPROPRIATE DISPOSAL CONTAINER AND COVER. USE NON-SPARKING TOOLS.

Neutralizing Agent: NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES AND INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED.

Other Precautions: AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.

===== Exposure Controls/

Personal Protection =====

Respiratory Protection: NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED RESPIRATOR OR SCBA AS APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation: MECHANICAL (GENERAL) VENTILATION OR LOCAL EXHAUST VENTILATION TO KEEP EXPOSURE LEVELS BELOW PEL.

Protective Gloves: RUBBER GLOVES.

Eye Protection: CHEMICAL SAFETY GOGGLES.

Other Protective Equipment: PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT. EYE BATH AND SAFETY SHOWER

R.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE  
EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.  
Supplemental Safety and Health  
NONE.

===== Physical/Chemical Properties =====

HCC:F2  
Spec Gravity:0.815  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:COLORLESS LIQUID, AROMATIC SOLVENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Co  
Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES  
OF IGNITION  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,  
INCOMPLETELY BURNED CARBON PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.  
DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated  
for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.