

ARMSTRONG WORLD INDUSTRIES INC -- AN 892 (GASKET) -- 5330-01-122-0247

=====
Product Identification
=====

Product ID:AN 892 (GASKET)

MSDS Date:09/16/1985

FSC:5330

NIIN:01-122-0247

Kit Part:Y

MSDS Number: BMTRD

=== Responsible Party ===

Company Name:ARMSTRONG WORLD INDUSTRIES INC

Address:W LIBERTY AND CHARLOTTE ST

Box:3001

City:LANCASTER

State:PA

ZIP:17604

Country:US

Info Phone Num:717-396-2729/293

5

Emergency Phone Num:717-396-2729/2935

Preparer's Name:D.E.BOUDER

CAGE:03938

=== Contractor Identification ===

Company Name:ARMSTRONG WORLD INDUSTRIES, INC.

Address:313 W. LIBERTY ST.

Box:3209

City:LANCASTER

State:PA

ZIP:17604

Country:US

Phone:717-396-2328; 717-396-2935

CAGE:03938

Company Name:FABRICATION SPECIALTY INC

Address:955 SLOCUM ST

Box:227018

City:DALLAS

State:TX

ZIP:75222-7018

Country:US

Phone:214-742-3571

CAGE:28548

=====
Composition/Information on Ingredients
=====

==

Ingred Name:ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE
29CFR 1910.1101)
CAS:1332-21-4
RTECS #:CI6475000
Other REC Limits:0.1 F/CC
OSHA PEL:0.2 FIBERS/CC
ACGIH TLV:0.16 FIBERS/CC
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:RUBBER BINDER
Other REC Limits:NONE SPECIFIED BY M.

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards
Acute and Chronic:TOXIC BY INHALATION OF DUST.
ACUTE:DUST MAY CAUSE IRRITATION TO THE EYES AND SKIN.
CHRONIC:INHALATION OF ASBESTOS FIBERS MAY CAUSE ASBESTOSIS AND
MESOTHELIOMA. SMOKING GREATLY ENHANCES THE RISK OF ASB ESTOSIS.
Effects of Overexposure:IRRITATION, COUGHING, DIFFICULTY IN BREATHING,
SHORTNESS OF BREATH, CHEST &/OR ABDOMINAL PAIN.
Medical Cond Aggravated by Exposure:PUMONARY DISEASES.

===== First Aid Measures =====

First Aid:
NHALATION:REMOVE TO FRESH AIR.. EYE CONTACT:FLUSH WITH WATER
FOR 15 MINUTES. SKIN CONTACT:WASH WITH SOAP AND WATER. GET MED
ATTENTION IF SYMPTOMS PERSIST. INGESTION:DO NOT INDUCE VOMITING,
CONSULT PH YSICIAN.

===== Fire Fighting Measures =====

Extinguishing Media:WATER
Fire Fighting Procedures:FIRE FIGHTERS SHOULD BE EQUIPED WITH
SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measu

res =====

Spill Release Procedures:PICK UP MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CREATING DUST. DO NOT SAND OR DRY SWEEP WITHOUT RESPIRATORY PROTECTION.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE UNDER NORMAL CONDITIONS. WEAR NIOSH APPROVED DUST RESPIRATOR WHEN SANDING, ABRADING OR DRY SWEEPING ASBESTOS DUST.

Vent

ilation:LOCAL

Protective Gloves:NO

Eye Protection:NONE

Other Protective Equipment:NONE

Work Hygienic Practices:DO NOT SMOKE WHILE SANDING, BRADING OR SWEEPING DUST.

Supplemental Safety and Health

VARIOUS AMOUNTS OF ASBESTOS FIBERS ARE ENCAPSULATED BY RUBBER BINDERS.

===== Physical/Chemical Properties =====

HCC:T6

Vapor Density:0

pH:N/S

Solubility in Water:INSOLUBLE

Appearance and Odor:FLEXIBLE SHEETING WITH RUBBER ODOR

Percent Volatiles by Volume:00

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:OXIDES OF CARBON, UNKNOWN TOXIC VAPORS, ASBESTOS FIBERS.

===== Disposal Considerations =====

Waste Disposal Methods:STANDARD LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is

formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.