

SOUTHWEST PETRO-CHEM DIV WITCO CHEMICAL CORP -- SC 844 5127,MIL-L-46152 10 W 30 --  
9150-00-186-6699

===== Product Identification =====

Product ID:SC 844 5127,MIL-L-46152 10 W 30

MSDS Date:11/10/1987

FSC:9150

NIIN:00-186-6699

MSDS Number: BMTVN

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM DIV WITCO CHEMICAL CORP

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country

:US

Info Phone Num:913-782-5800

Emergency Phone Num:913-782-5800/800-424-9300(CHEMTREC)

Preparer's Name:RAY LAWSON

CAGE:70878

=== Contractor Identification ===

Company Name:EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

===== Composition/Information on Ingredients =====

Ingred Name:"NOT HAZARDOUS"

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

==

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE/CHRONIC- NONE WHEN USED WITH GOOD PERSONAL HYGIENE PRACTICES. MAY OTHERWISE CAUSE SKIN AND EYE IRRITATION UPON PROLONGED OR REPEATED CONTACT. INHALATION OR INGESTION MAY BE HARMFUL.

Effects of Overexposure:PROLONGED OR REPEATED EYE OR SKIN CONTACT MAY CAUSE IRRITATION.

Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION.INHALATION:REMOVE TO FRESH AIR.PROVIDE OXYGEN IF NEEDED.INGESTION:DO NOT INDUCE VOMITING.CALL A PHYSICIAN IMMEDIATELY.EYE:FLUSH WITH WATER FOR 15 MINUTES,HOLDING EYELIDS OPEN.SKI N:WIPE EXCESS OFF.WASH SKIN WITH SOAP & WATER.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>401F,>205C

Extinguishing Media:WATER FOG, CO2, DRY CHEMICAL, SAND/EARTH. WATER MAY CAUSE FROTHING. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:DENSE SMOKE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:TRANSFER BULK OF MIXTURE INTO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND OR VERMICULITE. SWEEP UP AND TRANSFER TO A CONTAINER FOR PROPER DISPOSAL. CLEAN AREA WITH APPROPRIATE CLEANER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORAGE-KEEP CONTAINER CLOSED UNTIL READY FOR USE.

Other Precautions:MINIMIZE SKIN C

ONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES ,INCLUDING SHOES,THAT CANNOT BE CLEANED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT ORDINARY REQUIRED. USE A NIOSH-APPROVED RESPIRATOR IF NEEDED.

Ventilation:WORK IN A WELL VENTILATED AREA.

Protective Gloves:OIL RESISTANT/RUBBER OR PLASTIC

Eye Protection:CHEMICAL GOGGLES & FULL FACE SHIELD

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.879

Viscosity:100 SUS @100F

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AMBER COLOR LIQUID - MINERAL OIL ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS SUCH AS HYDROGEN PEROXIDE, BROMINE AND CHROMIC ACID

Stability Condition to Avoid:HEAT, OPEN FLAMES. PRODUCT IS STABLE UNDER NORMAL CONDITIONS.

Hazardous Decomposition Products:CARBON MONOXIDE & DIOXIDE, OXIDES OF PHOSPHORUS, SULFUR, NITROGEN, ZINC

===== Disposal Consideratio

ns =====

Waste Disposal Methods:DISPOSE OF IN COMPLIANCE WITH ALL LOCAL, STATE  
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent  
professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.