View NSN Online: https://aerobasegroup.com/nsn/7045-01-075-8699

Product ID: TAPE DRIVE CLEANING KIT, PART # TUC01, TUC0 MSDS Date:07/09/1990 FSC:7045 NIIN:01-075-8699 Kit Part:Y MSDS Number: BMTYV === Responsible Party === Company Name: DIGITAL EQUIPMENT CORP Address:146 MAIN ST City:MAYNARD State:MA ZIP:01754-2504 Country:US Emergency Ph one Num:800-334-4825 CAGE:15476 === Contractor Identification === Company Name: COMPAQ/ FORMERLY KNOWN AS-DIGITAL EQUIPMENT CORP Address:111 POWDERMILL RD Box:City:MAYNARD State:MA ZIP:01754-2504 Country:US Phone:508-479-3046 CAGE:15476 Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III) CAS:76-13-1 RTECS #:KJ4000000 Fraction by Wt: 100% Other REC Limits:NONE SPECIFIED OSHA PEL:1000PPM/1250STEL ACGIH

TLV:1000PPM/1250STEL9192 Ozone Depleting Chemical:1

LD50 LC50 Mixture:LD50 (ORAL RAT) IS >5 G/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: OVEREXPOSURE MAY CAUSE LOSS OF MANUAL DEXTERITY AND NARCOSIS. CARDIAC SENSITIZATION MAY OCCUR. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure: NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:INHALED-REMOVE TO FRESH AIR. SUPPORT BREATHING IF NECESSARY & CONTACT A PHYSICIAN. SKIN-PROMPTLY WASH SKIN WITH SOAP & WATER. IF IRRITATION PERSISTS ASFTER WASHING, CONTACT A PHYSICIAN. EYES-FLUSH WIT H LARGE AMOUNT S OF WATER FOR AT LEAST 15 MINUTES. SWALLOWED-DO NOT INDUCE VOMITING. SEEK IMMEDIATE MEDICAL ATTENTION. Flash Point:NONE TO BOILING Extinguishing Media:NOT AVALIABLE Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE Spill Release Procedures: USE ABSORBENT MATERIAL SUCH AS VERMICULITE OR DRY SAND. VENTILATE AREA OF LEAK/SPILL. ======= Handling and Storage Precautions: KEEP CONTAINER CLOSED AND IN COOL, VENTILATED AREA BELOW 125 F. MAY ATTACK SOME PLASTICS, RUBBER AND COATINGS. Other Precautions:NONE **Respiratory Protection:NONE** Ventilation:NONE Protective Gloves:NONE SPECIFIED BY MANUFACTURER. Eye Protection: NONE SPECIFIED BY MANUFACTURER. Other Protective Equipment:NONE SPECIFIED BY MANUFAC

TURER. Work Hygienic Practices:NONE Supplemental Safety and Health

HCC:N1 Boiling Pt:B.P. Text:118F,48C Melt/Freeze Pt:M.P/F.P Text:-31F,-35C Vapor Pres:284 MMHG Vapor Density:6.5 AIR=1 Spec Gravity:1.55 Evaporation Rate & amp; Reference:>1 (N-BUTYL ACETATE=1) Solubility in Water:0.17 Appearance and Odor:CLEAR COLORLESS LIQUID. Percent Volatiles by Volume:100%

=

Stability Indicator/Materials to Avoid:YES ACTIVE METALS, POWDERED ALUMINUM, ZINC, BERYLLIUM, CALCIUM. Stability Condition to Avoid:DECOMPOSED BY FLAME AND RED, HOT SURFACES. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN FLUORIDE, HYDROGEN CHLORIDE, PHOSGENE.

Waste Disposal Methods: DISPOSE OF USED PRODUCT AS RUBBISH.

Disclaimer (provided with this information by the compiling agencies): $\ensuremath{\mathsf{T}}$

his information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.