

A W CHESTERTON CO -- STYLE 64 -- 5330-00-996-4825

=====  
===== Product Identification =====

Product ID:STYLE 64  
MSDS Date:01/15/1991  
FSC:5330  
NIIN:00-996-4825  
MSDS Number: BMWKD  
=== Responsible Party ===  
Company Name:A W CHESTERTON CO  
Address:225 FALLON RD  
City:STONEHAM  
State:MA  
ZIP:02180-2999  
Country:US  
Info Phone Num:617-438-7000  
Emergency Phone Num:617-438-7000;617-438-7013  
CAGE:71431  
=== Contractor  
Identification ===  
Company Name:CHESTERTON A W CO  
Address:225 FALLON RD  
Box:City:STONEHAM  
State:MA  
ZIP:02180-9101  
Country:US  
Phone:781-438-7000/800-535-5053  
CAGE:71431

=====  
===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS  
CAS:1332-21-4  
RTECS #:CI6425000  
Fraction by Wt: 45-55%  
OSHA PEL:0.2 F/CC (MFR)  
ACGIH TLV:0.2 FIBERS/CC  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:GRAPHITE  
CAS:7782-42-5  
RTECS #:MD9659600  
Fraction by Wt: 1-5%  
OSHA PEL:15 MPPCF RDUST  
ACGI

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:(ACUTE) GRAPHITE DUST MAY CAUSE  
MECHANICAL IRRITATION TO THE SKIN, EYES, AND NASAL PASSAGES.  
(CHRONIC) EXPOSURE TO HIGH CONCENTRATIONS OF ASBESTOS DUST  
INCREASES RISK OF DEVELOPING LUNG DISEASES.  
SMOKERS HAVE A GREATER  
RISK.  
Explanation of Carcinogenicity:ASBESTOS: GROUP 1 (NTP,IARC), OSHA  
REGULATED.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:INHAL: REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, PERFORM  
ARTF RESP. CONTACT MD. SKIN: WASH SKIN WITH SOAP AND WATER. EYES:  
FLUSH EYES FOR AT LEAST 15 MINUTES WITH LARGE AMOUNTS OF  
WATER.  
CONSULT MD IF IRRITATION PERSISTS. INGEST: CALLMD IMMEDIATELY .

=====  
===== Fire Fighting Measures =====

Extinguishing Media:CO\*2, DRY CHEMICAL OR FOAM.  
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL  
PROTECTIVE EQUIPMENT .  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:IF PRODUCT IS DRIED OUT, WET WITH WATER, SWEEP  
UP OR HEPA VACUUM AND PLACE IN IMPERMEABLE BAGS FOR DISPOSAL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN DRY & VENT AREA. USE  
KNIFE-TYPE ACTION TO CUT PACKING. NEVER USE A SAW-TYPE ACTION OR  
CUT IN AN ABRASIVE MANNER.  
Other Precautions:DURING REMOVAL, ENSURE MATL IS ADEQ WET, CONTAIN &  
CAPTURE THE MATL TO ENSURE NO RELS OF ASBESTOS EMISSIONS, ENSURE  
MATL REMAINS WET UNTIL & AFTER IT IS SEALED IN

TO LEAK TIGHT CNTNR  
FOR DISP.NOTIFICAT ION MAY BE REQ PRIOR TO (SUPP DATA)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED. USE NIOSH/MSHA ASBESTOS  
APPROVED RESPIRATOR IF PEL/TLV IS EXCEEDED.

Ventilation:IF PEL/TLV IS EXCEEDED, PROVIDE ADEQUATE VENTILATION.

Protective Gloves:NOT NORMALLY NEEDED.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER

Supplemental Safety and Health

OTHER PREC: REMOVAL, CHECK LOCAL, STATE AND FEDERAL REGULATIONS.

===== Physical/Chemical Properties =====

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:TRACE AMOUNTS OF CO, CO\*2, SO\*2.

===== Disposal Considerations =====

Waste Disposal Methods:PUT WASTE IN SEALED IMPERMEABLE BAG OR  
CONTAINER, PROPERLY LABEL ACCORDING TO LOCAL, STATE AND FEDERAL  
REGULATIONS AND DISPOSE IN AN ASBESTOS APPROVED LANDFILL. CHECK  
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.