

E/M CORP -- 823 -- 8030-00-069-5155

=====
Product Identification
=====

Product ID:823
MSDS Date:08/18/1989
FSC:8030
NIIN:00-069-5155
MSDS Number: BMWPJ
=== Responsible Party ===
Company Name:E/M CORP
Address:6940 FARMDALE AVE
City:NORTH HOLLYWOOD
State:CA
ZIP:91605-6210
Country:US
Info Phone Num:213-875-0101
Emergency Phone Num:213-875-0101
CAGE:11770

=== Contractor Identification ===

Company Name:
E/M CORP
Address:6940 FARMDALE AVE
City:NORTH HOLLYWOOD
State:CA
ZIP:91605-6210
Country:US
Phone:317-497-6100
CAGE:11770

=====
Composition/Information on Ingredients
=====

Ingred Name:GRAPHITE, NATURAL
CAS:7782-42-5
RTECS #:MD9659600
Fraction by Wt: SECRET
Other REC Limits:NONE SPECIFIED
OSHA PEL:15 MPPCF RDUST
ACGIH TLV:2 MG/M3 RDUST; 9293

Ingred Name:INORGANIC SILICON COMPOUND
Fraction by Wt: SECRET
Other REC Limits:NONE SPECIFIED
OSHA PEL:80 MG/M3
ACGIH TLV:10 MG/M3

==

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO
Health Hazards Acute and Chronic:EYES;IRRITATION,REDNESS OR BLURRED
VISION. SKIN;IRRITATION,DERMITITIS. INGESTION;CAN CAUSE
GASTROINTESTIONAL IRRITATION,NAUSEA AND VOMITING AND DIARRHEA.
Effects of Overexposure:SEE ABOVE
Medical Cond Aggravated by Exposure:NONE

=====
First Aid Measures
=====

First Aid:SKIN;WASH WITH SOAP AND WATER. EYES;FLUSH WITH COPIOUS
AMOUNTS OF WATER, GET MEDICAL ATTENTION. INGESTION. DO NOT INDUCE
VOMITING,KEEP WARM GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:NA
Fire Fighting Procedures:NA
Unusual Fire/Explosion Hazard:MA

=====
Accidental Release Measures
=====

Spill Release Procedures:CLEAN SPILL WITH ABSORBENT MATERIAL, FLUSH
WITH LARGE QUANTITIES OF WATER INTO INDUSTRIAL SEWERS. WEAR
GLOVES,GOGGLES AND GAS MASK IF TWA ARE EXCEEDED.
Neutralizing Agent:NA

=====
Handling and Storage
=====

Handling and Storage Precautions:PROTECT FROM PHYSICAL DAMAGE, STORE IN
A COOL DRY VENTILATED AREA AWAY FROM ACIDS,ALKALIS AND OPEN FLAMES.
Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:U

SE NIOSH/MSHA APPROVED IF TWA/TLV ARE EXCEEDED

Ventilation:LOCAL

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:NA

Work Hygienic Practices:PRUDENT

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>212F,>100C

Vapor Pres:NA

Vapor Density:10.0

Spec Gravity:NA

Evaporation Rate & Reference: