

TEXACO INC -- 68 -- 9150-00-466-6720

===== Product Identification =====

Product ID:68
MSDS Date:03/14/1988
FSC:9150
NIIN:00-466-6720
MSDS Number: BMWSX
=== Responsible Party ===
Company Name:TEXACO INC
Box:509
City:BEACON
State:NY
ZIP:12508-0509
Country:US
Info Phone Num:914-831-3400 EXT 204
Emergency Phone Num:914-831-3400 EXT 204
CAGE:7B131
=== Contractor Identification ===
Company Name:TEXACO
INC
Box:509
City:BEACON
State:NY
ZIP:12508-0509
Country:US
Phone:914-831-3400
CAGE:7B131

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY
PARAFFINIC
CAS:64742-65-0
RTECS #:PY8038500
Fraction by Wt: 95-99.9%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports

of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN AND EYES; MILDILY IRRITATING.
INHALATION IRRITATION TO RESPIRATORY TRACT.
Effects of Overexposure:NA
Medical Cond Aggravated by Exposure:NONE KNOWN

=====
First Aid Measures
=====

First Aid:EYES;FLUSH WITH PLENTY OF WATER. SKIN; WASH WITH SOAP AND WATER.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:410F,210C

Lower Limits:ND
Upper Limits:ND

Extinguishing Media:WATER SPRAY, DRY CHEMICAL FOAM, OR CARBON DIOXIDE.
USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WATER OR FAOM MAY CAUSE FROTHING. IF A SPILL OR LEAK HAS NOT IGNITED USE WATER SPRAY TO DISPERSE VAPORS.

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:CONTAIN SPILL IF POSSIBLE,WIPE UP OR ABSORB EXCESS ON SUITABLE MATERIAL AND SHOVEL UP.

Neutralizing Agent:NA

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AT MINIMUM FEASIBLE TEMPERATURES, EXPOSURE TO HIGH TEMPERATUEREEES SHOULD BE AVOIDED.

Other Precautions:NA

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE REQUIRED

Ventilation:LOCAL

Protective Gloves:PERSONAL CLEANINESS

Eye Protection:GOGGLES OR FACE SHIELD OPTIONAL

Other Protective Equipment:NA

Work Hygienic

Practices:CLEAN EXPOSE SKIN SEVERAL TIMES A DAY WITH SOAP
AND WATER, LAUNDRER SOILED WORK CLOTHES AT LEAST WEEKLY.

Supplemental Safety and Health
NA

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:ND

Vapor Pres:ND

Vapor Density:ND

Spec Gravity:0.8762

Evaporation Rate & Reference:ND

Solubility in Water:ND

Appearance and Odor:LIGHT PALEE LIQUID,

Percent Volatiles by Volume:ND

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

NONE GIVEN

Stability Condition to Avoid:NONE GIVEN

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,
ALDEHYDES AND KEYTONES.

===== Disposal Considerations =====

Waste Disposal Methods:IF DETERMINED HAZARDOUS IN ACCORDANCE WITH
LOCAL, STATE AND FEDERAL REGULATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of t

he Department

of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.