View NSN Online: https://aerobasegroup.com/nsn/6750-01-022-8410

EASTMAN KODAK COMPANY -- 142 4654 BLEAACH III PROCESS C-41, PART A -- 6750-01-022-8410

Product ID:142 4654 BLEAACH III PROCESS C-41, PART A MSDS Date:07/28/1993 FSC:6750 NIIN:01-022-8410 MSDS Number: BMWXC === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET **City:ROCHESTER** State:NY ZIP:14650 Country:US Info Phone Num:716-477-3194 FOR MSDS : 242-2424 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 50-55% Other REC Limits:NONE SPECIFIED

Ingred Name:AMMONIUM BROMIDE CAS:12124-97-9 R TECS #:BO9170000 Fraction by Wt: 20-25% Other REC Limits:NONE SPECIFIED

Ingred Name:AMMONIUM ACETATE (SARA III) CAS:631-61-8 RTECS #:AF3675000 Fraction by Wt: 10-15% Other REC Limits:NONE SPECIFIED EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:ACETIC ACID (SARA III) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 5-10% Other REC Limits:NONE SPECIFIED OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

================= Hazards Identification

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EXPECTED TO BE A LOW INHALATION HAZARD
FOR RECOMMENDED HANDLING. VAPOR MAY BE IRRITATING. MAY CAUSE EYE
IRRITATION. LOW SKIN CONTACT HAZARD FOR RECOMMENDED HANDLING.
EXPECTED TO BE A LOW INGESTION HAZ ARD.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS
AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.
Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION, UPPER
RESPIRATORY IRRITATION.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE
AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: WASH OUT IMMEDIATELY W ITH

WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: IMMEDIATELY REMOVE CONTA MINATED CLOTHING AND WASH WITH SOAP ANDPLENTY OF WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

Flash Point:NONFLAMMABLE Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:NONFLAMMABLE. USE MEDIA SUITABLE FOR SURROUNDING FIRE. **Fire Fighting Proced** ures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. Spill Release Procedures: FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER IF ALLOWABLE. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CL EAN SURFACE THOROUGHLY TO REM OVE RESIDUAL CONTAMINATION. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: AVOID CONTACT WITH THE EYES. AVOID PROLONGED OR REPEATED CONTACT WITH THE SKIN. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. Other Precautions: KEEP CONTAINER CLOSED. KEEP AWAY FROM INCOMPATIBLE SUBSTANCES. ======= Exposure Controls/Personal Prote ction =========== Respiratory Protection:NOT NORMALLY REQUIRED. A FULL-FACE POSITIVE-PRESSURE AIR-SUPPLIED RESPIRATOR MUST BE WORN IF HAZARDOUS DECOMPOSITION PRODUCTS ARE LIKELY TO BE RELEASED OR HAVE BEEN RELEASED. Ventilation: GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED. RATES SHOULD MATCH CONDITIONS. Protective Gloves: IMPERVIOUS Eve Protection: SAFETY GLASSES OR GOGGLES

Other Protective Equipment: WASHING FACILITIES, AN EMERGENCY EYE WASH S

TATION AND SHOWER SHOULD BE AVAILABLE.
Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.
Supplemental Safety and Health
PRODUCT IS EXPECTED TO HAVE A LOW BIOCHEMICAL OXYGEN DEMAND AND LITTLE POTENTIAL TO CAUSE OXYGEN DEPLETION IN AQUEOUS SYSTEMS, A LOW
POTENTIAL TO AFFECT SOME AQUATIC ORGANISMS, A LOW POTENTIAL TO AFFE CT SECONDARY WASTE TREATMENT MICROBIAL METABOLISM. DILUTED AND TREATED IT IS NOT EXPECTED TO HAVE
A SIGNIFICANT IMPACT.

HCC:N1 Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:18 Vapor Density:0.6 Spec Gravity:1.13 pH:5.4 Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID, STRONG VINEGAR ODOR Percent Volatiles by Volume:50-55%

Stability Indicator/Materials to Avoi d:YES

BASES, SODIUM HYPOCHLORITE (BLEACH), STRONG OXIDIZING AGENTS, COMBUSTIBLE MATERIAL, REDUCING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN, HYDROGEN BROMIDE, AMMONIA, CHLORAMINE

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAI NER OR

LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume resp onsibility for the suitability of this information to their particular situation.