View NSN Online: https://aerobasegroup.com/nsn/6810-00-270-9990 OCTAGON PROCESS INC. -- TALC ZZ-T-416G TYPE IV CLASS C -- 6810-00-270-9990 Product ID:TALC ZZ-T-416G TYPE IV CLASS C MSDS Date:07/25/1988 FSC:6810 NIIN:00-270-9990 MSDS Number: BMZCS === Responsible Party === Company Name: OCTAGON PROCESS INC. Address:596 RIVER ROAD City:EDGEWATER State:NJ ZIP:07020-1105 Country:US Info Phone Num:201-945-9400 Emergency Phone Num: 201-945-9400 CAGE:82925 === Contractor Identification === Company Name: OCTAGON PROCESS INC. Address:596 RIVER ROAD Box:City:EDGEWATER State:NJ ZIP:07020 Country:US Phone:201-945-9400 CAGE:82925 ======= Composition/Information on Ingredients ========

Ingred Name:TALC (CONTAINING NO ASBESTOS)

CAS:14807-96-6

RTECS #:WW2710000

Other REC Limits: NONE SPECIFIED

OSHA PEL:2 MG/M3 RDUST

ACGIH TLV:2 MG/M3 RDUST; 9192

Rout

TRACT. CHRONIC:NONE SPECIFIED BY MANUFACTURER. Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure:COUGHING, WHEEZING, SHORTNESS OF BREATH, SNEEZING. Medical Cond Aggravated by Exposure:ANY CHRONIC OR PREEXIST
ING ALLERGY OR SENSITIVITY.
======================================
First Aid:EYE: FLUSH 15 MINUTES WITH AMPLE WATER. SKIN: REMOVE CONTAMINATED CLOTHING & LAUNDER. WASH WITH SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS REQUIRED. INGEST ION: IF CONSCIOUS, GIVE 2 -4 GLASSES WATER AND INDUCE VOMITING. TRY TO DETERMINE DOSE RECEIVED AND CALL PHYSICIAN PROMPTLY IF SYMPTOMS PERSIST.
======================================
Flash Point:NONE Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
======== Accidental Release Measures ==========
Spill Release Procedures:SWEEP UP AND PLACE IN A CONTAINER FOR LATER DISPOSAL. Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. USE WITH ADEQUATE VENTILATION. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:USE ADEQUATE MECHANICAL VENTILATION. Protective Gloves:RUBBER, NEOPRENE, VINYL Eye Protection:SAFETY GOGGLES. Other Protective Equipment:EYEWASH FOUNTAIN. Work Hygienic Practices:WASH

es of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: MAY IRRITATE THE RESPIRATORY

HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health
Physical/Chemical Properties ====================================
HCC:N1 Melt/Freeze Pt:M.P/F.P Text:3006F/1652C Spec Gravity:2.7 Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE TO GREYISH COLOR, ODORLESS POWDER Percent Volatiles by Volume:0
========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid

:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:STATIC ELECTRICITY

Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

======= Disposal Considerations ===========

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.